

Reference list

PAGES Magazine Vol. 22, No. 2 – October 2014
http://www.pages-igbp.org/products/magazine/ref2014_2.pdf

Editorial

- 3 Present and past mineral dust variations – a cross-disciplinary challenge for research
Ute Merkel, D.-D. Rousseau, J.-B. W. Stuut and G. Winckler

Science Highlights: Annual Recorders of the Past

- 6 [Mineral dust: Meteorological controls and climate impacts](#)
Kerstin Schepanski, U. Merkel and I. Tegen
- 8 [Dust deposition rates derived from optical satellite observations](#)
Luca Lelli, W. von Hoyningen-Huene, M. Vountas, M. Jäger and J.P. Burrows
- 10 [Including dust dynamics in paleoclimate modeling](#)
Yaping Shao
- 12 [Characterizing the temporal and spatial variability of African dust over the Atlantic](#)
Joseph M. Prospero
- 14 [The significance of particle size of long-range transported mineral dust](#)
Jan-Berend W. Stuut and Maarten A. Prins
- 16 [A 10,000 km dust highway between the Taklamakan Desert and Greenland](#)
Aloys J-M Bory
- 18 [The enigma of dust provenance: where else does Antarctic dust come from?](#)
Paul Vallelonga
- 20 [Evidence that local dust sources supply low-elevation Antarctic regions](#)
Bess G. Koffman and Karl J. Kreutz
- 22 [South American dust signature in geological archives of the Southern Hemisphere](#)
Stefania Gili and Diego M. Gaiero
- 24 [Fingerprinting aeolian dust in marine sediment: examples from Australia](#)
Patrick De Deckker
- 26 [Iron fertilization in the glacial ocean](#)
Alfredo Martínez-García and Gisela Winckler
- 28 [Loess as a Quaternary paleoenvironmental indicator](#)
Daniel R. Muhs, M.A. Prins and B. Machalett
- 30 [Abrupt climate changes recorded in loess sequences](#)
Denis-Didier Rousseau and Adriana Sima
- 32 [Extracting paleodust information from peat geochemistry](#)
François De Vleeschouwer, M. Ferrat, H. McGowan, H. Vanneste and D. Weiss

Program News

- 5 DICE: Dust impacts on Climate and Environment
- 35 EarthCube Research Coordination Network for Paleogeoscience Catalog
- 36 Carbon in Peat on EArth Through Time (C-PEAT)
- 37 The quest for temperature and hydroclimate records
- 38 [Millennial-scale climate variability in the American tropics and subtropics](#)

Workshop Reports

- 41 Past sea ice reconstruction - proxy data and modeling
- 42 PAGES2k: Advances in climate field reconstructions
- 43 Understanding and reconstructing the Asian climate of the last 2000 years
- 44 A novel multiproxy approach: The PAGES North America 2k working group
- 45 Australasia's climate variability: clues drawn from paleoclimate and model data
- 46 [Paleovariability: Data Model Comparisons](#)
- 47 Third general meeting of PMIP3
- 48 Age models, chronologies, and databases workshop
- 49 "Paleoecological data analysis with R" course for Latin American researchers
- 50 Towards more accurate quantification of human-environment interactions in the past
- 51 Ramsar Wetlands: Understanding Change in Ecological Character
- 52 Dendrochronology heats up Down Under
- 53 Cast, cut, sample and analyze: A practical approach to processing speleothems
- 54 Mediterranean Holocene climate and human societies
- 55 Modeling and data perspectives on reconstructing Late Pleistocene ice sheets
- 56 Constraining Holocene solar forcing by "detection and attribution"

Science Highlights: Annual Recorders of the Past

6 [Mineral dust: Meteorological controls and climate impacts](#)
Kerstin Schepanski, U. Merkel and I. Tegen

- Carslaw KS et al. (2010) A review of natural aerosol interactions and feedbacks within the Earth system, *Atmos Chem Phys* 10: 1701-1737
- Evan AT et al. (2009) The Role of Aerosols in the Evolution of Tropical North Atlantic Ocean Temperature Anomalies, *Science* 324: 778-781
- Ganopolski A et al. (2010) Simulation of the last glacial cycle with a coupled climate ice-sheet model of intermediate complexity, *Clim Past* 6: 229-244
- Iversen MH et al. (2010) High resolution profiles of vertical particulate organic matter export off Cape Blanc, Mauritania: Degradation processes and ballasting effects, *Deep Sea Res I* 57: 771-784
- Jickells TD et al. (2005) Global Iron Connections Between Desert Dust, Ocean Biogeochemistry, and Climate, *Science* 308: 67-71
- Mahowald NM et al. (2009) Atmospheric Iron Deposition: Global Distribution, Variability, and Human Perturbations, *Ann Rev Mar Sci* 1: 245-278
- Marticorena B, Bergametti G (1995) Modeling the atmospheric dust cycle: 1. Design of a soil derived dust emission scheme, *J Geophys Res* 100: 16415-16430
- Martínez Avellaneda N et al. (2010) Response of the eastern subtropical Atlantic SST to Saharan dust: A modeling and observational study, *J Geophys Res* 115, doi: 10.1029/2009JC005692
- Oerlemans J et al. (2009) Retreating alpine glaciers: increased melt rates due to accumulation of dust (Vadret da Morteratsch, Switzerland), *J Glaciology* 55: 729-736
- Reheis MC, Kihl R (1995) Dust deposition in southern Nevada and California, 1984-1989: Relations to climate, source area, and source lithology, *J Geophys Res* 100: 8893-8918
- Schepanski K et al. (2009) Meteorological processes forcing Saharan dust emission inferred from MSG-SEVIRI observations of subdaily dust source activation and numerical models, *J Geophys Res* 114, doi:10.1029/2008JD010325
- Shao Y et al. (2011) Dust cycle: An emerging core theme in Earth system science, *Aeolian Res* 2: 181-204
- Ternon E et al. (2010) The impact of Saharan dust on the particulate export in the water column of the North Western Mediterranean Sea, *Biogeosciences* 7: 809-826

8 [Dust deposition rates derived from optical satellite observations](#)
Luca Lelli, W. von Hoyningen-Huene, M. Vountas, M. Jäger and J.P. Burrows

- Fischer G, Karakas G (2009) Sinking rates and ballast composition of particles in the Atlantic Ocean: implications for the organic carbon fluxes to the deep ocean. *Biogeosciences* 6: 85-102
- Prospero JM (1999) Long-term measurements of the transport of African mineral dust to the southeastern United States: Implications for regional air quality. *J Geophys Res* 13: 15917-15927
- Von Hoyningen-Huene W et al. (2003) Retrieval of aerosol optical thickness over land surfaces from top-of-atmosphere radiance. *J Geophys Res* 108, doi: 10.1029/2001JD002018
- Von Hoyningen-Huene W et al. (2011) Retrieval of spectral aerosol optical thickness over land using ocean color sensors MERIS and SeaWiFS. *Atmos Meas Tech* 4: 151-171
- Dinter T et al. (2009) Retrieval of aerosol optical thickness for desert conditions using MERIS observations during the SAMUM campaign. *Tellus* 61: 229-238

10 [Including dust dynamics in paleoclimate modeling](#)
Yaping Shao

- Alfaro SC, Gomes L (2001) Modelling mineral aerosol production by wind erosion: Emission intensities and aerosol size distributions in source areas. *J Geophys Res* 106: 18075-18084
- Ding ZL et al. (2001) Coeval changes in grain size and sedimentation rate of eolian loess, the Chinese Loess Plateau. *Geophys Res Lett* 28: 2097-2100
- Evan AT et al. (2012) Physical response of the tropical-subtropical North Atlantic Ocean to decadal-multidecadal forcing by African dust. *J Climate* 25: 5817-5829
- Fischer H et al. (2007) Glacial/interglacial changes in mineral dust and sea-salt records in polar ice cores: sources, transport and deposition. *Rev Geophys* 45, doi:10.1029/2005RG000192
- Foltz GR, McPhaden M (2008) Trends in Saharan dust and tropical Atlantic climate during 1980-2006. *Geophys Res Lett* 35, doi:10.1029/2008GL035042
- Goldenberg SB et al. (2001) The recent increase in Atlantic hurricane activity: Causes and implications. *Science* 293: 474-479
- Ishizuka M et al. (2014) Power law relation between size-resolved dust flux and friction velocity measured in a fallow wheat field. *Aeolian Res* 12: 87-99
- Kang J-Y et al. (2011) Comparison of vertical dust flux by implementing three dust emission schemes into WRF/Chem. *J Geophys Res* 116, doi:10.1029/2010JD014649
- Klose M et al. (2010) Sahel Dust Zone and Synoptic Background. *Geophys Res Lett* 37, doi:10.1029/2010GL042816
- Kok JF (2011) Does the size distribution of mineral dust aerosols depend on the wind speed at emission? *Atmos Chem Phys* 11: 10149-10156
- Lambert F et al. (2008) Dust-climate couplings over the past 800,000 years from the EPICA Dome C ice core. *Nature* 452:

- Maher BA et al. (2010) Global connections between aeolian dust, climate and ocean biogeochemistry at the present day and at the last glacial maximum. *Earth Sci Rev* 99: 61-97
- Moreno A et al. (2002) Saharan dust transport and high-latitude glacial climatic variability: the Alboran sea record. *Quat Res* 58: 318-328
- Otto-Bliesner BL et al. (2009) Modeling and data synthesis of past climates. *EOS* 11: 93
- Shao Y et al. (2013) Recent dust trend and connections to climate forcing. *J Geophys Res* 118: 11107-11118
- Tanaka TY, Chiba M (2006) A numerical study of the contributions of dust source regions to the global dust budget. *Global Planet Change* 52: 88-104
- Uno I et al. (2009) Asian dust transport one full circuit around the globe. *Nature Geosci* 20: 557-560
- Wang C et al. (2012) Multidecadal co-variability of North Atlantic sea surface temperature, African dust, Sahel rainfall and Atlantic hurricanes. *J Climate* 25: 5404-5414
- Winckler G et al. (2008) Covariant glacial-interglacial dust fluxes in the equatorial Pacific and Antarctica. *Science* 320: 93-96

12 Characterizing the temporal and spatial variability of African dust over the Atlantic *Joseph M. Prospero*

- Baker AR et al. (2013) Estimation of atmospheric nutrient inputs to the Atlantic Ocean from 50°N to 50°S based on large-scale field sampling: Iron and other dust-associated elements. *Global Biogeochem Cycles* 27(3): 755-767
- Ben-Ami Y et al. (2012) Discernible rhythm in the spatio/temporal distributions of transatlantic dust. *Atmos Chem Phys* 12(5): 2253-2262
- Bozlaker A et al. (2013) Quantifying the contribution of long-range Saharan dust transport on particulate matter concentrations in Houston, Texas, using detailed elemental analysis. *Environ Sci Technol* 47 (18): 10179-10187
- Bullard JE (2011) Preferential dust sources: A geomorphological classification designed for use in global dust-cycle models. *J Geophys Res F Earth Surf* 116, doi: 10.1029/2011jf002061
- Chin et al. (2014) Multi-decadal variations of atmospheric aerosols from 1980 to 2009: a perspective from observations and a global model. *Atmos Chem Phys* 14: 3657-3690
- de Jong R et al. (2011) Analysis of monotonic greening and browning trends from global NDVI time-series. *Remote Sens Environ* 115: 692-702
- Delany AC et al. (1967) Airborne dust collected at Barbados. *Geochim Cosmochim Acta* 31(5): 885-909
- Doherty OM et al. (2012) Control of Saharan mineral dust transport to Barbados in winter by the Intertropical Convergence Zone over West Africa. *J Geophys Res D Atmos* 117, doi: 10.1029/2012JD017767
- Formenti P et al. (2011) Recent progress in understanding physical and chemical properties of African and Asian mineral dust. *Atmos Chem Phys* 11(16): 8231-8256
- Ginoux P et al. (2012) Global-scale attribution of anthropogenic and natural dust sources and their emission rates based on MODIS Deep Blue aerosol products. *Rev Geophys* 50, doi: 10.1029/2012RG000388
- Huneeus N et al. (2011) Global dust model intercomparison in AeroCom phase I. *Atmos Chem Phys* 11(15): 7781-7816
- Maher BA et al. (2010) Global connections between aeolian dust, climate and ocean biogeochemistry at the present day and at the last glacial maximum. *Earth Sci Rev* 99: 61-97
- Mahowald N et al. (in press) The size distribution of desert dust aerosols and its impact on the Earth system. *Aeolian Res*, doi: 10.1016/j.aeolia.2013.09.002
- Marticorena B et al. (2010) Temporal variability of mineral dust concentrations over West Africa: Analyses of a pluriannual monitoring from the AMMA Sahelian Dust Transect. *Atmos Chem Phys* 10: 8899-8915
- Muhs DR et al. (2007) Geochemical evidence for African dust inputs to soils of western Atlantic islands: Barbados, the Bahamas, and Florida. *J Geophys Res F Earth Surf* 112, doi: 10.1029/2005JF000445
- Okin GS et al. (2011) Dust: Small-scale processes with global consequences. *Eos* 92: 241-242
- Prospero JM, Lamb PJ (2003) African droughts and dust transport to the Caribbean: Climate change implications. *Science* 302: 1024-1027
- Prospero JM, Mayol-Bracero OL (2013) Understanding the Transport and Impact of African Dust on the Caribbean Basin. *Bull Am Meteorol Soc* 94: 1329-1337
- Prospero, J. M., F.-X. Collard, J. Molinié, and A. Jeannot (2014), Characterizing the annual cycle of African dust transport to the Caribbean Basin and South America and its impact on the environment and air quality. *Global Biogeochemical Cycles*, 2013GB004802.10.1002/2013GB004802
- Prospero JM et al. (2002) Environmental characterization of global sources of atmospheric soil dust identified with the Nimbus 7 Total Ozone Mapping Spectrometer (TOMS) absorbing aerosol product. *Rev Geophys* 40(1): 1-31
- Prospero JM et al. (2012) High-Latitude Dust Over the North Atlantic: Inputs from Icelandic Proglacial Dust Storms. *Science* 335: 1078-1082
- Ridley DA et al. (2014) What controls the recent changes in African mineral dust aerosol across the Atlantic? *Atmos Chem Phys* 14: 5735-5747
- Scheuven D et al. (2013) Bulk composition of northern African dust and its source sediments - A compilation. *Earth Sci Rev* 116: 170-194
- Schulz M et al. (2012) Atmospheric transport and deposition of mineral dust to the ocean: Implications for research needs. *Environ Sci Technol* 46(19): 10390-10404
- Seneviratne S et al. (2012) Changes in climate extremes and their impacts on the natural physical environment. In: Field CB et al. (Eds) *Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation. A Special Report of Working Groups I and II of the Intergovernmental Panel on Climate Change (IPCC)*, Cambridge University Press, 109-230
- Shao Y et al. (2011) Dust cycle: An emerging core theme in Earth system science. *Aeolian Res* 2(4): 181-204

- Stuut JB et al. (2005) Provenance of present-day eolian dust collected off NW Africa, *J Geophys Res D: Atmos* 110(4): 1-14
- Washington R. et al. (2009) Dust as a tipping element: The Bodélé Depression, Chad, *PNAS* 106(49): 20564-20571
- Yu H. et al. (2013) Satellite perspective of aerosol intercontinental transport: From qualitative tracking to quantitative characterization, *Atmos Res* 124: 73-100

14 [The significance of particle size of long-range transported mineral dust](#)
Jan-Berend W. Stuut and Maarten A. Prins

- Betzer PR et al. (1988) Long-range transport of giant mineral aerosol particles. *Nature* 336: 568
- Boucher O et al. (2013) Clouds and Aerosols. In: Stocker TF et al. (Eds) *Climate Change 2013: The Physical Science Basis*. Cambridge University Press, 571-657
- Claquin T et al. (2003) Radiative forcing of climate by ice-age atmospheric dust. *Clim Dyn* 20: 193-202
- de Baar H et al. (2005) Synthesis of iron fertilization experiments: From the Iron Age in the Age of Enlightenment. *J Geophys Res* 110, doi: 10.1029/2004JC002601
- Gillette DA (1979) Environmental factors affecting dust emission by wind erosion, In: Morales C (Ed) *Saharan dust: mobilization, transport, deposition (SCOPE)*. John Wiley & Sons, 71-91
- Iversen MH, Ploug H (2010) Ballast minerals and the sinking carbon flux in the ocean: carbon-specific respiration rates and sinking velocity of marine snow aggregates, *Biogeosciences* 7: 2613-2624
- Martin JH, Fitzwater SE (1988) Iron deficiency limits phytoplankton growth in the northeast Pacific subarctic. *Nature* 331: 341-343
- Menéndez I et al. (2014) Dust deposits on La Graciosa Island (Canary Islands, Spain): Texture, mineralogy and a case study of recent dust plume transport. *Catena* 117: 133-144
- Middleton NJ et al. (2001) Long-range transport of "giant" aeolian quartz grains: linkage with discrete sedimentary sources and implications for protective particle transfer. *Mar Geol* 177: 411-417
- Moreno A et al. (2005) Links between marine and atmospheric processes oscillating on a millennial time-scale. A multi-proxy study of the last 50,000 yr from the Alboran Sea (Western Mediterranean Sea). *Quat Sci Rev* 24: 1623-1636
- Otto S et al. (2007) Atmospheric radiative effects of an in situ measured Saharan dust plume and the role of large particles. *Atmos Chem Phys* 7: 4887-4903
- Prins MA, Vriend M (2007) Glacial and interglacial eolian dust dispersal patterns across the Chinese Loess Plateau inferred from decomposed loess grain-size records. *Geochem Geophys Geosyst* 8, doi:10.1029/2006GC001563
- Prins MA, Weltje GJ (1999) End-member modeling of siliciclastic grain-size distributions: the Late Quaternary record of eolian and fluvial sediment supply to the Arabian Sea and its paleoclimatic significance, In: Harbaugh J et al. (Eds) *Numerical experiments in stratigraphy: Recent advances in stratigraphic and sedimentologic computer simulations*. SEPM Special Publication 62: 91-111
- Prospero, J. M., F.-X. Collard, J. Molinié, and A. Jeannot (2014), Characterizing the annual cycle of African dust transport to the Caribbean Basin and South America and its impact on the environment and air quality, *Global Biogeochem. Cycles*, 29, 757–773, doi:10.1002/2013GB004802.
- Pye K, Zhou L-P (1989) Late Pleistocene and Holocene aeolian dust deposition in North China and the Northwest Pacific Ocean. *Palaeogeog Palaeoclimatol Palaeoecol* 73: 11-23
- Ram M, Gayley RI (1991) Long-range transport of volcanic ash to the Greenland ice sheet. *Nature* 349: 401-404
- Ratmeyer, V., Balzer, W., Bergametti, G., Chiapello, I., Fischer, G., Wyputta, U., 1999. Seasonal impact of mineral dust on deep-ocean particle flux in the eastern subtropical Atlantic Ocean. *Marine Geology* 159, 241-252.
- Sarnthein M et al. (1981) Glacial and interglacial wind regimes over the eastern subtropical Atlantic and North-West Africa. *Nature* 293: 193-196
- Skonieczny, C., Bory, A., Bout-Roumazielles, V., Abouchami, W., Galer, S.J.G., Crosta, X., Diallo, A., Ndiaye, T., 2013. A three-year time series of mineral dust deposits on the West African margin: Sedimentological and geochemical signatures and implications for interpretation of marine paleo-dust records. *Earth and Planetary Science Letters* 364, 145-156.
- Stuut J-BW et al. (2005) Provenance of present-day eolian dust collected off NW Africa. *J Geophys Res* 110, doi: 10.1029/2004JD005161
- Torres-Padrón ME et al. (2002) Variability of dust inputs to the CANIGO zone. *Deep Sea Res Part II* 49: 3455-3464
- Weltje GJ, Prins MA (2003) Muddled or mixed? Inferring palaeoclimate from size distributions of deep-sea clastics. *Sediment Geol* 162: 39-62

16 [A 10,000 km dust highway between the Taklamakan Desert and Greenland](#)
Aloys J-M Bory

- Biscaye PE et al. (1997) Asian provenance of glacial dust (stage 2) in the Greenland Ice Sheet Project 2 Ice Core, Summit, Greenland, *J Geophys Res-Oceans* 102: 26765-26781
- Bory AJ-M et al. (2014) A chinese imprint in insoluble pollutants recently deposited in central Greenland as indicated by lead isotopes, *Environ Sci Technol* 48(3): 1451-1457
- Bory AJ-M et al. (2003) Two distinct seasonal Asian source regions for mineral dust deposited in Greenland (NorthGRIP), *Geophys Res Lett* 30, doi:1110.1029/2002GL016446
- Bory AJ-M et al. (2002) Seasonal variability in the origin of recent atmospheric mineral dust at NorthGRIP, Greenland, *Earth Planet Sci Lett* 196: 123-134
- Bory AJ-M et al. (2003) Regional variability of ice core dust composition and provenance in Greenland, *Geochem Geophys Geosyst* 4, doi:1110.1029/2003GC000627
- Drab E et al. (2002) Mineral particles content in recent snow at Summit (Greenland), *Atmos Environ* 36: 5365-5376

- Husar RB et al. (2001) Asian dust events of April 1998, *J Geophys Res-Atmos* 106: 18317-18330
- Kahl JDW et al. (1997) Air mass trajectories to Summit, Greenland: a 44-year climatology and some episodic events, *J Geophys Res-Oceans* 102: 26861-26875
- Mosher BW et al. (1993) Seasonal aerosol chemistry at Dye 3, Greenland, *Atmos Environ*: 2761-2772
- Prospero JM et al. (2002) Environmental characterization of global sources of atmospheric soil dust identified with the nimbus 7 total ozone mapping spectrometer (TOMS) absorbing aerosol product, *Rev Geophys* 40, doi: 10.1029/2000RG000095
- Steffensen JP et al. (2008) High-resolution Greenland ice core data show abrupt climate change happens in few years, *Science* 321: 680-684
- Sun JM et al. (2001) Spatial and temporal characteristics of dust storms in China and its surrounding regions, 1960– 1999: Relations to source area and climate, *J Geophys Res-Atmos* 106: 10325-10333
- Svensson A (1998) Characterization of continental dust in the Greenland GRIP ice core back to 44 kyr BP, Ph.D. thesis, University of Copenhagen
- Svensson A et al. (2000) Characterization of late glacial continental dust in the Greenland Ice Core Project ice core, *J Geophys Res-Atmos* 105: 4637-4656
- Zdanowicz C et al. (2006) Asian dustfall in the St. Elias Mountains, Yukon, Canada, *Geochim Cosmochim Acta* 70: 3493-3507

18 [The enigma of dust provenance: where else does Antarctic dust come from?](#) *Paul Vallelonga*

- Albani S et al. (2012) Interpreting last glacial to Holocene dust changes at Talos Dome (East Antarctica): implications for atmospheric variations from regional to hemispheric scales, *Clim Past* 8: 741-750
- Bory A et al. (2010) Multiple sources supply eolian mineral dust to the Atlantic sector of coastal Antarctica: Evidence from recent snow layers at the top of Berkner Island ice sheet, *Earth Planet Sci Lett* 291: 138-148
- De Deckker P et al. (2010) Lead isotopic evidence for an Australian source of aeolian dust to Antarctica at times over the last 170,000 years, *Palaeogeog Palaeoclimatol Palaeoecol* 285: 205-223
- Delmonte B et al. (2007) Late Quaternary Interglacials in East Antarctica from ice core dust records. In: Sirocko F et al. (Eds) *The Climate of Past Interglacials*, Elsevier, 53-73
- Delmonte B et al. (2008) Aeolian dust in East Antarctica (EPICA-Dome C and Vostok): Provenance during glacial ages over the last 800 kyr, *Geophys Res Lett* 35, doi:10.1029/2008GL033382
- Delmonte B et al. (2010) Aeolian dust in the Talos Dome ice core (East Antarctica, Pacific/Ross Sea sector): Victoria Land versus remote sources over the last two climate cycles, *J Quat Sci* 25: 1327-1337
- Gabrielli P et al. (2010) A major glacial-interglacial change in aeolian dust composition inferred from Rare Earth Elements in Antarctic ice, *Quat Sci Rev* 29: 265-273
- Gaiero DM (2007) Dust provenance in Antarctic ice during glacial periods: From where in southern South America?, *Geophys Res Lett* 34, doi:10.1029/2007GL030520
- Lambert F et al. (2008) Dust-climate couplings over the past 800,000 years from the EPICA Dome C ice core, *Nature* 452: 616-619
- Lepper K et al. (2001) Characterization of luminescence properties of insoluble mineral grains extracted from the Greenland Summit GRIP ice core, and their potential for luminescence dating, *Radiat Meas* 33: 445-455
- Marino F et al. (2008) Defining the geochemical composition of the EPICA Dome C ice core dust during the last glacial-interglacial cycle, *Geochem Geophys Geosyst* 9, doi:10.1029/2008GC002023
- Siggaard-Andersen M-L et al. (2007) Soluble and insoluble lithium dust in the EPICA DomeC ice core – Implications for changes of the East Antarctic dust provenance during the recent glacial–interglacial transition, *Earth Planet Sci Lett* 258: 32-43
- Vallelonga P et al. (2002) The lead pollution history of Law Dome, Antarctica, from isotopic measurements on ice cores: 1500 AD to 1989 AD, *Earth Planet Sci Lett* 204: 291-306
- Vallelonga P et al. (2010) Lead isotopic compositions in the EPICA Dome C ice core and Southern Hemisphere Potential Source Areas, *Quat Sci Rev* 29: 247-255
- Wegner A et al. (2012) Change in dust variability in the Atlantic sector of Antarctica at the end of the last deglaciation, *Clim Past* 8: 135-147

20 [Evidence that local dust sources supply low-elevation Antarctic regions](#) *Bess G. Koffman and Karl J. Kreutz*

- Albani S et al. (2012) Interpreting last glacial to Holocene dust changes at Talos Dome (East Antarctica): implications for atmospheric variations from regional to hemispheric scales, *Clim Past* 8: 741-750
- Basile I et al. (1997) Patagonian origin of glacial dust deposited in East Antarctica (Vostok and Dome C) during glacial stages 2, 4 and 6, *Earth Planet Sci Lett* 146: 573-589
- Betzer PR et al. (1988) Long-range transport of giant mineral aerosol particles, *Nature* 336: 568-571
- Bory AJ-M et al. (2010) Multiple sources supply eolian mineral dust to the Atlantic sector of coastal Antarctica: Evidence from recent snow layers at the top of Berkner Island ice sheet, *Earth Planet Sci Lett* 291: 138-148
- Campbell IB, Claridge GGC (1987) *Antarctica: Soils, Weathering Processes and Environment*, Elsevier Science Publishers, 367 pp
- Delmonte B et al. (2004) Comparing the Epica and Vostok dust records during the last 220,000 years: stratigraphical correlation and provenance in glacial periods, *Earth Sci Rev* 66: 63-87
- Delmonte B et al. (2002), Glacial to Holocene implications of the new 27,000-year dust record from the EPICA Dome C (East Antarctica) ice core, *Clim Dyn* 18: 647-660

- Edwards R et al. (2006) Iron in ice cores from Law Dome: A record of atmospheric iron deposition for maritime East Antarctica during the Holocene and Last Glacial Maximum, *Geochem Geophys Geosys*, doi:10.1029/2006/GC001307
- Fischer H et al. (2007) Reconstruction of millennial changes in dust emission, transport and regional sea ice coverage using the deep EPICA ice cores from the Atlantic and Indian Ocean sector of Antarctica, *Earth Planet Sci Lett* 260: 340-334
- Koffman B et al. (2013) Impact of known local and tropical volcanic eruptions of the past millennium on the WAIS Divide microparticle record, *Geophys Res Lett* 40, doi:10.1002/grl.50822
- Koffman BG et al. (2014) Centennial-scale variability of the Southern Hemisphere westerly wind belt in the eastern Pacific over the past two millennia *Clim Past* 10: 1-20
- Krinner G et al. (2010) Altitude of atmospheric trace transport toward Antarctica in present and glacial climate, *Quat Sci Rev* 29: 274-284
- Lambert F et al. (2012) Centennial mineral dust variability in high-resolution ice core data from Dome C, Antarctica, *Clim Past* 8: 609-623
- Lambert F et al. (2008) Dust-climate couplings over the past 800,000 years from the EPICA Dome C ice core, *Nature* 452: 616-619
- Mahowald N et al. (2013) The size distribution of desert dust aerosols and its impact on the Earth system, *Aeolian Res*, doi: 10.1016/j.aeolia.2013.09.002
- McConnell JR et al. (2007) 20th-Century doubling in dust archived in an Antarctic Peninsula ice core parallels climate change and desertification in South America, *PNAS* 104(14): 5743-5748
- Petit JR et al. (1999) Climate and atmospheric history of the past 420,000 years from the Vostok ice core, Antarctica, *Nature* 399: 429-436
- Revel-Rolland M et al. (2006) Eastern Australia: A possible source of dust in East Antarctica interglacial ice, *Earth Planet Sci Lett* 249: 1-13
- Tegen I, Lacis AA (1996) Modeling of particle size distribution and its influence on the radiative properties of mineral dust aerosol, *J Geophys Res* 101: 237-219
- Wolff EW et al. (2006) Southern Ocean sea-ice extent, productivity and iron flux over the past eight glacial cycles, *Nature* 440: 491-496

22 [South American dust signature in geological archives of the Southern Hemisphere](#)
Stefania Gili and Diego M. Gaiero

- Diekmann B et al. (2000) Terrigenous sediment supply in the Scotia Sea (Southern Ocean): response to Late Quaternary ice dynamics in Patagonia and on the Antarctic Peninsula. *Palaeogeog Palaeoclimatol Palaeoecol* 162: 357-387
- EPICA Community Members (2006) One-to-one coupling of glacial climate variability in Greenland and Antarctica. *Nature* 444: 195-198
- Gaiero DM et al. (2013) Ground/satellite observations and atmospheric modeling of dust storms originating in the high Puna-Altiplano deserts (South America): Implications for the interpretation of paleo-climatic archives. *J Geophys Res Atmos* 118: 3817-3831
- Gallet S et al. (1998) Loess geochemistry and its implications for particle origin and composition of the upper continental crust. *Earth Planet Sci Lett* 156: 157-172
- Gingele FX et al. (2007) Late Pleistocene and Holocene climate of SE Australia reconstructed from dust and river loads deposited offshore the River Murray Mouth. *Earth Planet Sci Lett* 255: 257-272
- Goudie AS, Wells GL (1995) The nature, distribution and formation of pans in arid zones. *Earth Sci Rev* 38: 1-69
- Iriondo M (1997) Models of deposition of loess and loessoids in the upper quaternary of South America. *J S Am Earth Sci* 10: 71-77
- Iriondo M (2000) *Quat Int* 68: 83-86
- Muhs D, Zarate M (2001) In: Markgraf (Ed) *Interhemispheric Climate Linkages*, Academic Press, 183-216
- Prospero JM et al. (2002) Environmental characterization of global sources of atmospheric soil dust identified with the nimbus 7 total ozone mapping spectrometer (toms) absorbing aerosol product. *Rev Geophys* 40(1), doi: 10.1029/2000RG000095
- Smith J et al. (2003) Isotopic constraints on the source of Argentinian loess – with implications for atmospheric circulation and the provenance of Antarctic dust during recent glacial maxima. *Earth Planet Sci Lett* 212: 181-196
- Taylor SR et al. (1983) Geochemistry of loess, continental crustal composition and crustal model ages. *Geochim Cosmochim Acta* 47: 1897-1905

24 [Fingerprinting aeolian dust in marine sediment: examples from Australia](#)
Patrick De Deckker

- Calvo E et al. (2007) Antarctic deglacial pattern in a 30 kyr record of sea surface temperature offshore South Australia. *Geophys Res Lett* 34, doi:10.1029/2007GL02993
- De Deckker P et al. (in press) Characterisation of the major dust storm that traversed over eastern Australia in September 2009; a multidisciplinary approach. *Aeolian Research*, doi:10.1016/j.aeolia.2014.07.003
- Ehlert C et al. (2011) Current transport versus continental inputs in the eastern Indian Ocean: Radiogenic isotope signatures of clay size sediments. *Geochem Geophys Geosyst* 12, doi:10.1029/2011GC003544

- Gingele FX et al. (2001) Late Quaternary fluctuations of the Leeuwin Current and palaeoclimates on the adjacent land masses; clay mineral evidence. *Aust J Earth Sci* 48: 867-874
- Gingele FX et al. (2007) Late Pleistocene and Holocene climate of SE Australia reconstructed from dust and river loads deposited offshore the River Murray Mouth. *Earth Planet Sci Lett* 255: 257-272
- Janecek TR (1985) Eolian sedimentation in the northwest Pacific Ocean: A preliminary examination of data from Deep-Sea Drilling Project Sites 576 and 578. *Initial Rep Deep Sea Drill Proj* 86: 589-603
- Rea DK (1990) Aspects of atmospheric circulation: The Late Pleistocene (0-950 000 yr) record of eolian deposition in the Pacific Ocean. *Palaeogeog Palaeoclimatol Palaeoecol* 78: 217-227
- Rea DK (1994) The palaeoclimatic record provided by eolian deposition in the deep sea: the geologic history of wind. *Rev Geophys* 32: 159-195
- Stuut JB et al. (2014) A 550 ka record of aeolian activity near North West Cape, Australia: inferences from grain-size distributions and bulk chemistry of SE Indian Ocean deep-sea sediments. *Quat Sci Rev* 83: 83-94
- Thiede J (1979) Wind regimes over the late Quaternary southwest Pacific Ocean. *Geology* 7: 259-262
- Weltje GJ, Tjallingii R (2008) Calibration of XRF core scanners for quantitative geochemical logging of sediment cores: Theory and application. *Earth Planet Sci Lett* 274: 423-438

26 [Iron fertilization in the glacial ocean](#)
Alfredo Martínez-García and Gisela Winckler

- Anderson RF et al. (2014) Biological response to millennial variability of dust and nutrient supply in the Subantarctic South Atlantic Ocean. *Phil Trans R Soc A* 13, doi: 10.1098/rsta.2013.0054
- Blain S et al. (2007) Effect of natural iron fertilization on carbon sequestration in the Southern Ocean. *Nature* 446: 1070-1071
- Boyd PW et al. (2007) Mesoscale iron enrichment experiments 1993-2005: Synthesis and future directions. *Science* 315: 612-617
- Brovkin V et al. (2007) Lowering of glacial atmospheric CO₂ in response to changes in oceanic circulation and marine biogeochemistry. *Paleoceanography* 22, doi:10.1029/2006PA001380
- Buesseler KO et al. (2004) The Effects of Iron Fertilization on Carbon Sequestration in the Southern Ocean. *Science* 304: 414-417
- Cassar N et al. (2007) The Southern Ocean biological response to Aeolian iron deposition. *Science* 317: 1067-1070
- Francois R et al. (1997) Contribution of Southern Ocean surface-water stratification to low atmospheric CO₂ concentrations during the last glacial period. *Nature* 389: 929-935
- Hain MP et al. (2010) Carbon dioxide effects of Antarctic stratification, North Atlantic Intermediate Water formation, and subantarctic nutrient drawdown during the last ice age: Diagnosis and synthesis in a geochemical box model. *Global Biogeochem Cycles* 24, doi: 10.1029/2010GB003790
- Hamme RC et al. (2010) Volcanic ash fuels anomalous plankton bloom in subarctic northeast Pacific. *Geophys Res Lett* 37, doi: 10.1029/2010GL044629
- Johnson KS, Karl DM (2002) Is ocean fertilization credible and creditable? *Science* 296: 467-467
- Knox F, McElroy M (1984) Changes in atmospheric CO₂ influence of the marine biota at high latitude. *J Geophys Res* 89: 4629-4637
- Kohfeld KE et al. (2005) Role of marine biology in glacial-interglacial CO₂ cycles. *Science* 308: 74-78
- Kumar N et al. (1995) Increased Biological Productivity And Export Production In The Glacial Southern-Ocean. *Nature* 378: 675-680
- Lamy F et al. (2014) Increased Dust Deposition in the Pacific Southern Ocean During Glacial Periods. *Science* 343: 403-407
- Martin JH (1990) Glacial-interglacial CO₂ change: The iron hypothesis. *Paleoceanography* 5: 1-13
- Martin JH, Fitzwater SE (1988) Iron deficiency limits phytoplankton growth in the north-east Pacific subarctic. *Nature* 331: 341-343
- Martin JH et al. (1990) Iron In Antarctic Waters. *Nature* 345: 156-158
- Martínez-García A et al. (2009) Links between iron supply, marine productivity, sea surface temperature, and CO₂ over the last 1.1 Ma. *Paleoceanography* 24, doi: 10.1029/2008PA001657
- Martínez-García A et al. (2011) Southern Ocean dust-climate coupling over the past four million years. *Nature* 476: 312-315
- Martínez-García A et al. (2014) Iron Fertilization of the Subantarctic Ocean During the Last Ice Age. *Science* 343: 1347-1350
- Mortlock RA et al. (1991) Evidence for lower productivity in the Antarctic Ocean during the last glaciation. *Nature* 351: 220-223
- Sarmiento J, Toggweiler JR (1984) A new model for the role of the oceans in determining atmospheric pCO₂. *Nature* 308: 621-624
- Siegenthaler U, Wenk T (1984) Rapid atmospheric CO₂ variations and ocean circulation. *Nature Geosci* 308: 624-626
- Smetacek V et al. (2012) Deep carbon export from a Southern Ocean iron-fertilized diatom bloom. *Nature* 487: 313-319
- Smith KL et al. (2007) Free-Drifting Icebergs: Hot Spots of Chemical and Biological Enrichment in the Weddell Sea. *Science* 317: 478-482

28 [Loess as a Quaternary paleoenvironmental indicator](#)
Daniel R. Muhs, M.A. Prins and B. Machalett

- Machalett B (2008) Aeolian dust dynamics in central Asia during the Pleistocene: Driven by the long-term migration, seasonality, and permanency of the Asiatic polar front. *Geochem Geophys Geosys* 9, doi:10.1029/2007GC001938
- Muhs DR (2013) Loess and its geomorphic, stratigraphic, and paleoclimatic significance in the Quaternary. In: Shroder JF et al. (Eds) *Treatise on Geomorphology*, Vol. 11, Aeolian Geomorphology. Academic Press, 149-183
- Muhs DR et al. (2014) Loess records. In: Knippertz P, Stuut J-B W (Eds) *Mineral Dust - A Key Player in the Earth System*.

Springer, in press

- Pigati JS et al. (2013) Radiocarbon dating late Quaternary loess deposits using small terrestrial gastropods. *Quat Sci Rev* 76: 114-128
- Prins MA, Vriend M (2007) Glacial and interglacial eolian dust dispersal patterns across the Chinese Loess Plateau inferred from decomposed grain-size records. *Geochem Geophys Geosys* 8, doi:10.1029/2006GC001563

30 [Abrupt climate changes recorded in loess sequences](#)
[Denis-Didier Rousseau and Adriana Sima](#)

Complete set of references

- Kutzbach JE (1987) Model simulations of the climatic patterns during the deglaciation of North America, In: Ruddiman WF, Wright HE (Eds.) *North America and Adjacent Oceans during the Last Deglaciation - The Geology of North America*. The Geological Society of America, Boulder, 425-446
- Rousseau DD et al. (2007) European loess records, In: Elias S (Ed) *Encyclopedia of Quaternary Science*, Elsevier, 1440-1456

European loess

- Antoine P et al. (2001) High-resolution record of the last interglacial-glacial cycle in the loess palaeosol sequences of Nussloch (Rhine Valley-Germany), *Quat Int* 76/77: 211-229
- Antoine P et al. (2009) High-resolution record of the last climatic cycle in the southern Carpathian Basin (Surduk, Vojvodina, Serbia), *Quat Int* 198: 19-36
- Antoine P et al. (2013) High-resolution record of the environmental response to climatic variations during the Last Interglacial-Glacial cycle in Central Europe: The loess-palaeosol sequence of Dolni- Vestonice (Czech Republic), *Quat Sci Rev* 67: 17-38
- Bond G et al. (1992) Evidence for massive discharges of icebergs into the North Atlantic Ocean during the last glacial period, *Nature*: 360: 245-249
- Bond GC, Lotti R (1995) Iceberg discharges into the North Atlantic on millennial time scales during the last glaciation, *Science* 267: 1005-1010
- Dansgaard W (1993) Evidence for general instability of past climate from a 250-kyr ice-core record, *Nature* 364: 218-220
- Hatté C, Guiot J (2005) Paleoprecipitation reconstruction by inverse modelling using the isotopic signal of loess organic matter: Application to the Nussloch loess sequence (Rhine Valley, Germany), *Clim Dyn* 25: 315-327
- Hatté C et al. (2013) Excursions to C4 vegetation recorded in the upper Pleistocene loess of surduk (Northern Serbia): An organic isotope geochemistry study, *Clim Past* 9: 1001-1014
- Hemming SR (2004) Heinrich events: Massive late Pleistocene detritus layers of the North Atlantic and their global climate imprint, *Rev Geophys* 42, doi:10.1029/2003RG000128.
- Kindler P et al. (2013) NGRIP temperature reconstruction from 10 to 120 kyr b2K, *Clim Past* 9: 4099-4143
- Lang A et al. (2003) High-resolution chronologies for loess: comparing AMS14C and optical dating results, *Quat Sci Rev* 22: 953-959
- Lautridou JP (1985) Le cycle périglaciaire Pléistocène en Europe du Nord-Ouest et plus particulièrement en Normandie, *Centre Géomorphologie Caen, Université Caen*, 908 pp
- Masson-Delmotte V et al. (2005) GRIP deuterium excess reveals rapid and orbital-scale changes in Greenland moisture origin, *Science* 309: 118-121
- Rousseau DD et al. (1998) Late Pleistocene climatic variations at Achenheim, France based on a magnetic susceptibility and TL chronology of loess, *Quat Res* 49: 255-263
- Rousseau DD et al. (2002) Abrupt millennial climatic changes from Nussloch (Germany) Upper Weichselian eolian records during the Last Glaciation, *Quat Sci Rev* 21: 1577-1582
- Rousseau DD et al. (2007) Link between European and North Atlantic abrupt climate changes over the last glaciation, *Geophys Res Lett* 34, doi:10.1029/2007gl031716
- Rousseau DD et al. (2011) North Atlantic abrupt climatic events of the last glacial period recorded in Ukrainian loess deposits, *Clim Past* 7: 221-234
- Rousseau DD et al. (2013) Major dust events in Europe during marine isotope stage 5 (130-74 ka): A climatic interpretation of the "markers", *Clim Past* 9: 2213-2230
- Sima A et al. (2009) Imprint of North-Atlantic abrupt climate changes on western European loess deposits as viewed in a dust emission model, *Quat Sci Rev* 28: 2851-2866
- Sima A et al. (2013) Modeling dust emission response to North Atlantic millennial-scale climate variations from the perspective of East European MIS3 loess deposits, *Clim Past* 9: 1385-1402

Asian loess

- Ding ZL et al. (1995) Ice-Volume Forcing of East Asian Winter Monsoon Variations in the Past 800,000 Years, *Quat Res* 44: 149-159
- Ding ZL et al. (2002) Stacked 2.6-Ma grain size record from the Chinese loess based on five sections and correlation with the deep-sea d18O record, *Paleoceanography* 17: 5.1-5.21
- Guo ZT et al. (2002) Onset of Asian desertification by 22 Myr ago inferred from loess deposits in China, *Nature* 416: 159-163
- Haesaerts P et al. (2005) The loess-palaeosol succession of Kurtak (Yenisei Basin, Siberia): a reference record for the Karga stage (MIS 3), *Quaternaire* 16: 3-24
- Kukla G, An ZS (1989) Loess stratigraphy in central China, *Palaeogeog Palaeoclimatol Palaeoecol* 72: 203-225
- Liu TS et al. (1985) *Loess and the environment*, China Ocean Press, 251 pp
- Sun Y et al. (2012) Influence of Atlantic meridional overturning circulation on the East Asian winter monsoon, *Nature Geosci* 5: 46-49

- Wang YJ et al. (2001) A high-resolution absolute-dated late Pleistocene monsoon record from Hulu Cave, China, *Science* 294: 2345-2348
- Wang Y et al. (2008) Millennial- and orbital-scale changes in the East Asian monsoon over the past 224,000 years, *Science* 451: 1090-1093

North American loess

- Bettis III EA et al. (2003) Cenozoic eolian sedimentary systems of the USA midcontinent, *Quaternary geology of the United States*, INQUA 2003 Field Guide Volume, Reno, 195-218
- Bettis III EA et al. (2003) Last Glacial loess in the conterminous USA, *Quat Sci Rev* 22: 1907-1946
- Ganopolski A, Rahmstorf S (2001) Rapid changes of glacial climate simulated in a coupled climate model, *Nature* 409: 153-158
- Muhs DR et al. (1999) Late Quaternary loess in northeastern Colorado: Part I-Age and paleoclimatic significance, *Geol Soc Am Bull* 111: 1861-1875
- Muhs DR, Bettis III EA (2000) Geochemical variations in Peoria loess of western Iowa indicate paleowinds of midcontinental North America during last glaciation, *Quat Res* 53: 49-61
- Muhs DR, Bettis III EA (2003) Quaternary loess-paleosol sequences as examples of climate-driven sedimentary extremes, in: *Extreme depositional environments: Mega end members in Geologic time*, Geological Society of America Special papers, The Geological Society of America, 53-74
- Muhs DR, Zarate MA (2001) Late Quaternary eolian records of the Americas and their significance, In: Markgraf V (Ed) *Interhemispheric climate linkages*, Academic Press, 183-216
- Rousseau DD et al. (2007) Evidence of cyclic dust deposition in the US Great plains during the last deglaciation from the high-resolution analysis of the Peoria Loess in the Eustis sequence (Nebraska, USA), *Earth Planet Sci Lett* 262: 159-174
- Sweeney MT et al. (2004) Glacial anticyclone recorded in Palouse loess of northwestern United States, *Geology* 32: 705-708
- Sweeney MR et al. (2005) Topographic and climatic influences on accelerated loess accumulation since the last glacial maximum in the Palouse, Pacific Northwest, USA, *Quat Res* 63: 261
- Wang H et al. (2000) Isotope evidence of paleo-El Nino-Southern Oscillation cycles in loess-paleosol record in the central United States, *Geology* 28: 771-774

32 [Extracting paleodust information from peat geochemistry](#)

[François De Vleeschouwer, M. Ferrat, H. McGowan, H. Vanneste and D. Weiss](#)

- Allan M et al. (2013) Mid and late Holocene dust deposition in western Europe: the Misten peat bog (Hautes Fagnes – Belgium). *Clim Past* 9: 2285-2298
- Blaauw M, Christen JA (2011) Flexible paleoclimate age-depth models using an autoregressive gamma process. *Bayesian Anal* 6: 457-474
- De Vleeschouwer F et al. (2012) Multiproxy paleoenvironmental study in the Misten bog (East Belgium) during the last millenium. *Quat Int* 268: 44-57
- De Vleeschouwer F et al. (2009) Multiproxy evidence of "Little Ice Age" palaeoenvironmental changes in a peat bog from northern Poland. *Holocene* 19: 625-637
- Ferrat M et al. (2013) Numerical simulations of dust fluxes to the eastern Qinghai-Tibetan Plateau: Comparison of model results with a Holocene peat record of dust deposition. *J Geophys Res Atmos* 118: 4597-4609
- Ferrat M et al. (2012) The inorganic geochemistry of a peat deposit on the eastern Qinghai-Tibetan Plateau and insights into changing atmospheric circulation in central Asia during the Holocene, *Geochim Cosmochim Acta* 91: 7-31
- Ferrat M et al. (2011) Improved provenance tracing of Asian dust sources using rare earth elements and selected trace elements for palaeomonsoon studies on the eastern Tibetan Plateau, *Geochim Cosmochim Acta* 75: 6374-6399
- Gallagher K et al. (2011) Inference of abrupt changes in noisy geochemical records using transdimensional changepoint models, *Earth Planet Sci Lett* 311: 182-194
- Harrison SP et al. (2001) The role of dust in climate changes today, at the last glacial maximum and in the future. *Earth Sci Rev* 54: 43-80
- Kamber BS et al. (2010) Comment on "Lead isotopic evidence for an Australian source of aeolian dust to Antarctica at times over the last 170,000 years". *Palaeogeog Palaeoclimatol Palaeoecol* 298: 432-436
- Kohfeld KE, Tegen I (2007) The record of soil dust aerosols and their role in the Earth system, In: Holland HD, Turekian KK (Eds) *Treatise on Geochemistry Update 1*, Elsevier, 1-26
- Kohfeld KE, Harrison SP (2001) DIRTMAP: the geological record of dust. *Earth Sci Rev* 54: 81-114
- Kylander ME et al. (2013) A novel geochemical approach to paleorecords of dust deposition and effective humidity: 8500 years of peat accumulation at Store Mosse ("Big Bog"), Sweden. *Quat Sci Rev* 69: 69-82
- Kylander ME et al. (2007) Rare Earth Element and Pb isotope variations in a 52 kyr peat core from Lynch's Crater (NE Queensland, Australia): Proxy development and application to paleoclimate in the Southern Hemisphere. *Geochim Cosmochim Acta* 71: 942-960
- Kylander ME et al. (2005) Refining the pre-industrial atmospheric Pb isotope evolution curve in Europe using an 8000 year old peat core from NW Spain. *Earth Planet Sci Lett* 240: 467-485
- Le Roux G et al. (2012) Volcano- and climate-driven changes in atmospheric dust sources and fluxes since the Late Glacial in Central Europe. *Geology* 40: 335-338
- Lee JA, Tallis JH (1973) Regional and historical aspects of lead pollution in Britain. *Nature* 245: 216-218
- Mahowald NM et al. (2006) Change in atmospheric mineral aerosols in response to climate: last glacial period pre-industrial, modern and doubled carbon dioxide climates. *J Geophys Res Atmos* 111, doi:10.1029/2005JD006653
- Marx SK et al. (2011) Holocene dust deposition rates in Australia's Murray-Darling Basin, record the interplay between aridity, position of the mid-latitude westerlies, *Quat Sci Rev* 30: 3290-3305
- Marx SK et al. (2009) Long-range dust transport from eastern Australia: a proxy for Holocene aridity and ENSO induced climate

- variability. *Earth Planet Sci Lett* 282: 167-177
- Marx SK et al. (2005) Long term estimates of Australian dust flux into New Zealand: Quantifying the eastern Australian dust plume pathway using trace element calibrated ^{210}Pb as a monitor. *Earth Planet Sci Lett* 239: 336-351
- Marx SK et al. (2010) Atmospheric pollutants in alpine peat bogs record a detailed chronology of industrial and agricultural development on the Australian continent. *Environ Pollut* 158: 1615-1628
- McGowan HA et al. (2008) An ultra-high resolution record of aeolian sedimentation during the late Quaternary from eastern Australia. *Palaeogeog Palaeoclimatol Palaeoecol*, 265: 171-181
- Muller J et al. (2008a) Possible evidence for wet Heinrich phases in tropical NE Australia: The Lynch's Crater deposit. *Quat Sci Rev* 27: 468-475
- Muller J et al. (2008b) The use of principle component analyses in characterising trace and major elemental distribution in a 55 kyr peat deposit in tropical Australia: Implications to paleoclimate. *Geochim Cosmochim Acta* 72: 449-463
- Nriagu JO (1983) Lead and lead poisoning in the Antiquity. John Wiley, 437pp
- Petherick LM et al. (2009) Reconstructing late Quaternary dust transport pathways for eastern Australia using trace element composition of long traveled dusts. *Geomorphology* 105: 67-79
- Shotyk W et al. (2002) A peat bog record of natural, pre-anthropogenic enrichments of trace elements in atmospheric aerosols since 12,370 14C yr BP, and their variation with Holocene climate change. *Earth Planet Sci Lett* 199: 21-37
- Shotyk W et al. (1998) History of atmospheric lead deposition since 12,370 14C yr BP recorded in a peat bog profile, Jura Mountains, Switzerland, *Science* 281: 1635-1640
- Weiss D et al. (2002) The geochemistry of major and selected trace elements in a forested peat bog, Kalimantan, SE Asia, and its implications for past atmospheric dust deposition, *Geochim Cosmochim Acta* 66: 2307-2323

Program News

38 [Millennial-scale climate variability in the American tropics and subtropics](#)

- Arz HW, Pätzold J, Wefer G (1998) Correlated millennial-scale changes in surface hydrography and terrigenous sediment yield inferred from the last-glacial marine deposits off Northeastern Brazil, *Quat Res* 50: 157-166
- Baker PA et al. (2001) Tropical climate changes at millennial and orbital timescales on the Bolivian Altiplano, *Nature* 409: 698-701
- Bard E et al. (2000) Hydrological Impact of Heinrich Events in the Subtropical Northeast Atlantic, *Science* 289: 1321-1324
- Bogotá RG et al. (2011) Rapid climate change from north Andean Lake Fúquene pollen records driven by obliquity: implications for a basin-wide biostratigraphic zonation for the last 284 ka, *Quat Sci Rev* 30: 3321-3337
- Cheng H et al. (2013) Climate change patterns in Amazonia and biodiversity, *Nature commun* 4: 1411.
- Chiessi CM et al. (2008) South Atlantic interocean exchange as the trigger for the Bölling warm event, *Geology* 36(12): 919-922
- Chiessi CM et al. (2009) Possible impact of the Atlantic Multidecadal Oscillation on the South American summer monsoon, *Geophys Res Lett* 36, doi: 10.1029/2009GL039914
- Correa-Metrio A et al. (2012) Rapid climate change and no-analog vegetation in lowland Central America during the last 86,000 years, *Quat Sci Rev* 38: 63-75
- Cruz FW et al. (2009) Orbitally driven east-west antiphasing of South American precipitation, *Nature Geosci* 2: 210-214
- Dansgaard W et al. (1993) Evidence for an instability of past climate from a 250-kyr ice-core record, *Nature* 364: 218-220
- Escobar J et al. (2012) A 43-ka record of paleoenvironmental change in the Central American lowlands inferred from stable isotopes of lacustrine ostracods, *Quat Sci Rev* 37: 92-104
- Fritz SC et al. (2010) Millennial-scale climate variability during the Last Glacial period in the tropical Andes, *Quat Sci Rev* 29: 1017-1024
- Garreaud RD et al. (2009) Present-day South American climate, *Palaeogeog, Palaeoclimatol, Palaeoecol* 281: 180-195
- González C, Dupont LM (2009) Tropical salt marsh succession as sea-level indicator during Heinrich events, *Quat Sci Rev* 28: 939-946
- Groot M et al. (2011) Ultra-high resolution pollen record from the northern Andes reveals rapid shifts in montane climates within the last two glacial cycles, *Clim Past* 7: 299-316
- Hansen BCS et al. (1994) Late Quaternary vegetation change in the central Peruvian Andes, *Palaeogeog, Palaeoclimatol, Palaeoecol* 109: 263-285
- Harrison SP, Sanchez Goñi MF (2010) Global patterns of vegetation response to millennial-scale variability and rapid climate change during the last glacial period. *Quat Sci Rev* 29: 2957-2980
- Heinrich H (1988) Origin and consequences of cyclic ice rafting in the Northeast Atlantic Ocean during the past 130,000 years, *Quat Res* 29: 142-152
- Hooghiemstra H (1984) Vegetational and climatic history of the high plain of Bogota, Colombia: A continuous record of the last 3.5 million years. *Diss Bot* 79: 1-138
- Martrat B et al. (2007) Four climate cycles of recurring deep and surface water destabilizations on the Iberian margin, *Science* 317: 502-507
- Mayle FE et al. (2000) Millennial-Scale Dynamics of Southern Amazonian Rain Forests, *Science* 290: 2291-2294
- McManus JF et al. (2004) Collapse and rapid resumption of Atlantic meridional circulation linked to deglacial climate changes, *Nature* 428: 834-837
- Mollier-Vogel E et al. (2013) Rainfall response to orbital and millennial forcing in northern Peru over the last 18 ka, *Quat Sci Rev* 76: 29-38
- Mosblech NAS et al. (2012) North Atlantic forcing of Amazonian precipitation during the last ice age, *Nat Geosci* 5: 817-820
- Nace TE et al. (in press) The role of North Brazil Current transport in the paleoclimate of the Brazilian Nordeste margin and paleoceanography of the western tropical Atlantic during the late Quaternary, *Palaeogeog, Palaeoclimatol, Palaeoecol*, doi:10.1016/j.palaeo.2014.05.030

- Paduano GM et al. (2003) A vegetation and fire history of Lake Titicaca since the Last Glacial Maximum, *Palaeogeog, Palaeoclimatol, Palaeoecol* 194: 259-279
- Peterson LC et al. (2000) Rapid changes in the Hydrologic cycle of the Tropical Atlantic during the Last Glacial, *Science* 290: 1947-1951
- Power MJ et al. (2010) Paleofire activity in tropical America during the last 21,000 years: A regional synthesis based on sedimentary charcoal, *PAGES news* 18: 73-75
- Ruddiman WF (2001). *Earth's Climate: past and future*, Freeman & Co, 480 pp
- Sanchez Goñi MF, Harrison SP (2010) Millennial-scale climate variability and vegetation changes during the Last Glacial: Concepts and terminology, *Quat Sci Rev* 29: 2823-2827
- Urrego DH et al. (2010) A long history of cloud and forest migration from Lake Consuelo, Peru, *Quat Res* 73: 364-373
- Whitney BS et al. (2011) A 45 kyr palaeoclimate record from the lowland interior of tropical South America, *Palaeogeog, Palaeoclimatol, Palaeoecol* 307: 177-192
- Wolff EW et al. (2010) Millennial-scale variability during the last glacial: The ice core record. *Quat Sci Rev* 29: 2828-2838

Workshop Reports

46 [Paleovariability: Data Model Comparisons](#)

- Braconnot P et al. (2013) El Niño-Southern Oscillation - observations and modeling, *PAGES news* 21(2): 48-49
- Braconnot P et al. (2012) Tropical climate variability with a focus on the Last Millennium, Mid-Holocene and Last Glacial Maximum, *PAGES news* 20(1): 51-52
- Jones MD, Imbers J (2010) Modeling Mediterranean lake isotope variability, *Global Planet Change*: 71: 193-200
- Laepple T, Huybers PJ (2014) Global and regional variability in marine surface temperatures, *Geophys Res Lett* 41: 2528-2534
- Laepple T, Huybers PJ (2013) Reconciling discrepancies between Uk37 and Mg/Ca reconstructions of Holocene marine temperature variability, *Earth Planet Sci Lett* 375: 418-429
- Peterson TC, Vose RS (1997) An overview of the Global Historical Climatology Network temperature database, *Bull Amer Meteor Soc* 78: 2837-2849
- Thirumalai K et al. (2013) Statistical constraints on El Niño Southern Oscillation reconstructions using individual foraminifera: A sensitivity analysis, *Paleoceanogr* 28: 401-412