

Reference list

PAGES news Vol. 22, No. 1 – April 2014

http://www.pages-igbp.org/products/newsletters/ref2014_1.pdf

Editorial

- 4 [Maximizing the information yield from annually resolving natural archives](#)
Bernd Zolitschka and Jennifer Pike

Science Highlights: Annual Recorders of the Past

- 6 [Layers within layers: quantifying seasonal versus event processes in varved sediments](#)
Scott F. Lamoureux and Pierre Francus
- 8 [Understanding varve formation from sediment trapping and limnological monitoring](#)
Antti E.K. Ojala, C. Bigler and J. Weckström
- 10 [Hyperspectral imaging: investigating sediment structures and composition](#)
Martin Grosjean, B. Amann, C. Butz, B. Rein and W. Tylmann
- 12 [High-precision sampling of laminated sediments: Strategies from Lake Suigetsu](#)
Takeshi Nakagawa and Suigetsu 2006 Project Members
- 14 [Seasonal laminae in marine sediments: applications and potential](#)
Alan E.S. Kemp
- 16 [The global network of tree-ring widths and its applications to paleoclimatology](#)
Scott St. George
- 18 [The potential of tree rings in Terra Australis](#)
Chris Turney, J. Palmer, K. Allen, P. Baker and P. Grierson
- 20 [Bivalve shells: ultra high-resolution paleoclimate archives](#)
Bernd R. Schöne and Donna Surge
- 22 [Annually laminated speleothems in paleoclimate studies](#)
Liangcheng Tan, I.J. Orland and H. Cheng
- 24 [Seasonality in speleothems](#)
Ian J. Fairchild, M. Bar-Matthews, P. M. Wynn and I. J. Orland
- 26 [State of the art of ice core annual layer dating](#)
Sune O. Rasmussen, A. Svensson and M. Winstrup
- 28 [Annually resolved climate signals in high-alpine ice cores](#)
Margit Schwikowski, A. Eichler, T.M. Jenk and I. Mariani

Mini Section: Human Impact on Soils and Sediments in Asia

- 30 [PAGES' Focus 4 Theme on Soils and Sediments: an Asian perspective](#)
Thomas Hoffmann, R. Wasson and A. Ziegler
- 32 [Social upheaval in Angkor from fluvial response to land use and climate variability](#)
Dan Penny
- 34 [Sediment load and carbon burial in the Yellow River during the Holocene](#)
Lishan Ran and Xixi Lu
- 36 [Tectonic and volcanic forcing on fluvial systems: two case studies from Japan](#)
Thomas Parkner and Mio Kasai

Workshop Reports

- 38 [Hydroclimatic reconstructions over Europe and the Mediterranean](#)
- 39 [12th International Workshop on Subfossil Chironomids](#)
- 40 [Multi-Scale Analyses of Fire-Climate-Vegetation Interactions on Millennial Scales](#)
- 41 [Holocene circum-Arctic peatland carbon dynamics](#)
- 42 [Estimating rates and sources of sea level change during past warm periods](#)
- 43 [COMPARE 2013: Constraining tropical ocean cooling during the last glacial](#)
- 44 [Integrated analyses of reconstructions and multi-model simulations for the past 2k](#)
- 45 [PMIP Ocean - Understanding changes since the Last Glacial Maximum](#)
- 46 [Quaternary paleoecology: Reconstructing past environments](#)
- 47 Long-term perspectives on ocean and climate dynamics – Three decades of ICP
- 48 [4th Polar Marine Diatom Taxonomy and Ecology Workshop](#)
- 49 Isotopes of carbon, water and geotracers in paleoclimate research
- 50 [Reconstructing past sea ice](#)
- 51 [1st Summer School on Speleothem Science](#)
- 52 [1st Workshop on Paleoeological Databases in South America](#)
- 53 Eastern African Quaternary Climate change and variability
- 54 [African climate-vegetation interaction since the last glacial period](#)
- 55 SynTraCE-21 Workshop

Editorial

4 [Maximizing the information yield from annually resolving natural archives](#) *Bernd Zolitschka and Jennifer Pike*

- Besonen M et al. (2011) Learning from other communities: Towards more robust varve chronologies. *PAGESnews* 19(2): 88-89
- Francus P et al. (2010) Advances in varved sediment studies during the last 10 years. *PAGESnews* 18(2): 90-91
- Francus P, Ridge JC, Johnson MD (2013) Varve genesis, chronology and paleoclimate. *Journal of the Geological Society of Sweden (GFF)* 135: 229-339
- Ojala AEK et al. (2012) The chronological characteristics of sedimentary varves – a review. *Quaternary Science Reviews* 43: 45-60
- Zolitschka B et al. (2012) Deciphering climatic and environmental signals from varved sediments by applying process-related studies. *PAGESnews* 20(2): 95

Science Highlights: Annual Recorders of the Past

6 [Layers within layers: quantifying seasonal versus event processes in varved sediments](#) *Scott F. Lamoureux and Pierre Francus*

- Chutko KJ, Lamoureux SF (2008) Identification of coherent links between interannual sedimentary structures and daily meteorological observations in Arctic proglacial lacustrine varves: potentials and limitations. *Canadian Journal of Earth Sciences* 45: 1-13
- Cockburn JMH, Lamoureux SF (2007) Long term variations in major autumn rainfall events recorded over seven centuries in subannually laminated lacustrine sediments, White Pass, British Columbia-Alaska. *Quaternary Research* 67: 193-203
- Cockburn JMH, Lamoureux SF (2008) Hydroclimate controls over seasonal sediment yield in two adjacent high arctic watersheds, *Hydrological Processes* 22: 2013-2027
- Cuven S, Francus P, Lamoureux SF (2010) Estimation of grain size variability with micro X-ray fluorescence in laminated lacustrine sediments, Cape Bounty, Canadian High Arctic. *Journal of Paleolimnology* 44: 803-817
- Francus P et al. (2002) Paleoclimate studies of minerogenic sediments using annually resolved textural parameters. *Geophysical Research Letters* 29, doi:10.1029/2002GL015082
- Hardy DR, Bradley RS, Zolitschka B (1996) The climate signal in varved sediments from Lake C2, northern Ellesmere Island, Canada. *Journal of Paleolimnology* 16: 227-238
- Kaufman DS et al. (2009) Recent warming reverses long-term Arctic cooling. *Science* 325: 1236-1239
- Lapointe F et al. (2012) 1750 years of large rainfall events inferred from particle size at East Lake, Cape Bounty, Melville Island, Canada. *Journal of Paleolimnology* 48: 159-173
- Lewis T et al. (2010) An automated system for the statistical analysis of sediment texture and structure at the microscale. *Computers & Geosciences* 36: 1374-1383
- Lewis T, Lafrenière MJ, Lamoureux SF (2012) Hydrochemical and sedimentary responses of paired High Arctic watersheds to unusual climate and permafrost disturbance, Cape Bounty, Melville Island, Canada. *Hydrological Processes* 26: 2003-2018

8 [Understanding varve formation from sediment trapping and limnological monitoring](#) *Antti E.K. Ojala, C. Bigler and J. Weckström*

- Bigler C et al. (2012) Calibrating the biological record in Nylandssjön: Diatom assemblages in the water column, sediment traps and varves since 2001. 3rd PAGES Varves Working Group Workshop, Manderscheid, Germany. *Terra Nostra* 1012 (1): 25-27
- Gälman V, Petterson G, Renberg I (2006) A comparison of sediment varves (1950–2003 AD) in two adjacent lakes in northern Sweden. *Journal of Paleolimnology* 35: 837-853
- Gälman V et al. (2008) Carbon and nitrogen loss rates during aging of lake sediment: changes over 27 years studied in varved lake sediment. *Limnology and Oceanography* 53: 1076-1082
- Gälman V, Rydberg J, Bigler C (2009) Decadal diagenetic effects on $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ studied in varved lake sediment. *Limnology and Oceanography* 54: 917-924
- Håkanson L, Jansson M (1983) *Principles of lake sedimentology*, Springer, 316 pp
- Lamoureux S (1999) Spatial and interannual variations in sedimentation patterns recorded in nonglacial varved sediments from

the Canadian High Arctic. *Journal of Paleolimnology* 21: 73-84

- Lamoureux S (2012) Lake and catchment process studies in the Canadian Arctic to improve our understanding of the formation and environmental signal of clastic varves. 3rd PAGES Varves Working Group Workshop, Manderscheid, Germany. *Terra Nostra* 1012(1): 56-58
- Leemann A, Niessen F (1994) Varve formation and the climatic record in an Alpine proglacial lake: calibrating annually-laminated sediments against hydrological and meteorological data. *The Holocene* 4: 1-8
- Maier DB et al. (2013) Compaction of recent varved lake sediments. *GFF* 135: 231-236
- Ojala AEK, Saarinen T, Salonen V-P (2000) Preconditions for the formation of annually laminated lake sediments in southern and central Finland. *Boreal Environment Research* 5: 243-255
- Ojala AEK, Alenius T (2005) 10 000 years of interannual sedimentation recorded in the Lake Nautajärvi (Finland) clastic-organic varves. *Paleogeography, Paleoclimatology, Paleoecology* 219: 285-302
- Ojala AEK et al. (2013) Seasonal formation of clastic-biogenic varves: the potential for paleoenvironmental interpretations. *GFF* 135: 237-247
- Petterson G et al. (1993) Spatial uniformity of sediment accumulation in varved lake sediments in northern Sweden. *Journal of Paleolimnology* 9: 195-208
- Renberg I (1982) Varved lake sediments - geochronological records of the Holocene. *Geologiska Föreningens i Stockholm Förhandlingar* 104: 275-279
- Renberg I (1986) Photographic demonstration of the annual nature of a varve type common in N. Swedish lake sediments. *Hydrobiologia* 140: 93-95
- Ryves DB et al. (2013) Diatom taphonomy and silica cycling in two freshwater lakes and their implications for inferring past lake productivity. *Journal of Paleolimnology* 49: 411-430
- Simola H (1977) Diatom succession in the formation of annually laminated sediment in Lovojärvi, a small eutrophicated lake. *Annales Botanici Fennici* 14: 143-148
- Snyder SK (2012) Calibrating annual sedimentation in a glacial lake Lake Linné, Svalbard, Norway. Senior Independent Study, Mount Holyoke College, USA, 53 pp
- Stockhecke M et al. (2012) The annual particle cycle in Lake Van (Turkey). *Paleogeography, Paleoclimatology, Paleoecology* 333-334: 148-159
- Tylmann W et al. (2012) Conditions for deposition of annually laminated sediments in small meromictic lakes: a case study of Lake Suminko (northern Poland). *Journal of Paleolimnology* 47: 55-70
- Zillén L et al. (2003) Occurrence of varved lake sediment sequences in Värmland, west central Sweden: lake characteristics, varve chronology and AMS radiocarbon dating. *Boreas* 32: 612-616
- 10 [Hyperspectral imaging: investigating sediment structures and composition](#)
Martin Grosjean, B. Amann, C. Butz, B. Rein and W. Tylmann
- Balsam WL, Deaton BC (1996) Determining the composition of late quaternary marine sediments from NUV, VIS, and NIR diffuse reflectance spectra, *Marine Geology* 134(1/2): 31-55
- Das B et al. (2005) Inferring sedimentary chlorophyll concentrations with reflectance spectroscopy: a novel approach to reconstructing historical changes in the trophic status of mountain lakes, *Canadian Journal of Fisheries and Aquatic Sciences* 62: 1067-1078
- De Jong R et al. (2013) Late Holocene summer temperatures in the central Andes reconstructed from the sediments of high-elevation Laguna Chepical, Chile (32° S), *Climate of the Past* 9: 1921-1932
- Debret M et al. (2011) Spectrocolorimetric interpretation of sedimentary dynamics: The new "Q7/4 diagram", *Earth-Science Reviews* 109: 1-19
- Elbert J et al. (2013) Late Holocene air temperature variability reconstructed from the sediments of Laguna Escondida, Patagonia, Chile (45°30'S), *Palaeogeography, Palaeoclimatology, Palaeoecology* 369: 482-492
- Michelutti N et al. (2010) Do spectrally inferred determinations of chlorophyll a reflect trends in lake trophic status? *Journal of Paleolimnology* 43: 205-217
- Rein B, Sirocko F (2002) In situ reflectance spectroscopy—analysing techniques for high-resolution pigment logging in sediment cores, *International Journal of Earth Science* 91: 950-954
- Rein B et al. (2005) El Niño variability off Peru during the last 20,000 years, *Paleoceanography*, 20, doi: 10.1029/2004PA001099
- Saunders KM et al. (2012) Late Holocene changes in precipitation in northwest Tasmania and their potential links to shifts in the Southern Hemisphere westerly winds, *Global and Planetary Change* 92-93: 82-91
- Saunders KM, Grosjean M, Hodgson DA (2013) A 950 year temperature reconstruction from Duckhole Lake, southern

Tasmania, Australia, *The Holocene* 23(6): 771-783

Trachsel M et al. (2010) Scanning reflectance spectroscopy (380-730 nm): a novel method for quantitative high-resolution climate reconstructions from minerogenic lake sediments, *Journal of Paleolimnology* 44: 979-994

Trachsel M et al. (2013) Inferring organic content of sediments by scanning reflectance spectroscopy (380–730 nm): applying a novel methodology in a case study from proglacial lakes in Norway, *Journal of Paleolimnology* 50: 583-592

von Gunten L et al. (2009) A quantitative high-resolution summer temperature reconstruction based on sedimentary pigments from Laguna Aculeo, central Chile, back to AD 850, *The Holocene* 19(6): 1-9

von Gunten L et al. (2012) Calibrating biogeochemical and physical climate proxies from non-varved lake sediments with meteorological data: methods and case studies, *Journal of Paleolimnology* 47: 583-600

Wolfe AP et al. 2006: Experimental calibration of lake-sediment spectral reflectance to chlorophyll a concentrations: Methodology and paleolimnological validation, *Journal of Paleolimnology* 36(1): 91-100

12 [High-precision sampling of laminated sediments: Strategies from Lake Suigetsu](#)
Takeshi Nakagawa and Suigetsu 2006 Project Members

Nakagawa T et al. (2003) Asynchronous Climate Changes in the North Atlantic and Japan During the Last Termination. *Science* 299: 688-691

Nakagawa T et al. (2012) SG06, a perfectly continuous varved sediment core from Lake Suigetsu, Japan: Stratigraphy and potential for improving radiocarbon calibration model and understanding of climate changes. *Quaternary Science Reviews* 36: 164-176

14 [Seasonal laminae in marine sediments: applications and potential](#)
Alan E.S. Kemp

Davies A, Kemp AES, Palike H (2011) Tropical ocean-atmosphere controls on inter-annual climate variability in the Cretaceous Arctic. *Geophysical Research Letters* 38, doi: 10.1029/2010GL046151

Davies A, Kemp AES, Pike J (2009) Late Cretaceous seasonal ocean variability from the Arctic. *Nature* 460: 254-258

Davies A et al. (2012) El Niño-Southern Oscillation variability from the Late Cretaceous Maracaibo Shale of California. *Geology* 40: 15-18

De La Rocha CL (2006) Opal-based isotopic proxies of paleoenvironmental conditions. *Global Biogeochemical Cycles* 20, doi: 10.1029/2005GB002664

Fedorov AV et al. (2006) The Pliocene paradox (mechanisms for a permanent El Niño). *Science* 312: 1485-1489

Fedorov AV, Philander SG (2000) Is El Niño changing? *Science* 288: 1997-2002

Galeotti S et al. (2010) Evidence for active El Niño Southern Oscillation variability in the Late Miocene greenhouse climate. *Geology* 38: 419-422

Huber M, Caballero R (2003) Eocene El Niño: Evidence for robust tropical dynamics in the "hothouse". *Science* 299: 877-881

Ivany LC et al. (2011) El Niño in the Eocene greenhouse recorded by fossil bivalves and wood from Antarctica. *Geophysical Research Letters* 38, doi: 10.1029/2011GL048635

Kemp AES (2003) Evidence for abrupt climate changes in annually laminated marine sediments. *Philosophical Transactions of the Royal Society of London Series a-Mathematical Physical and Engineering Sciences* 361: 1851-1870

Kemp AES et al. (2006) Production of giant marine diatoms and their export at oceanic frontal zones: Implications for Si and C flux from stratified oceans. *Global Biogeochemical Cycles* 20, doi: 10.1029/2006GB002698

Kemp AES, Villareal TA (2013) High diatom production and export in stratified waters - a potential negative feedback to global warming. *Progress in Oceanography* 119: 4-23

Lenz OK et al. (2010) A 600 k.y. record of El Niño-Southern Oscillation (ENSO): Evidence for persisting teleconnections during the Middle Eocene greenhouse climate of Central Europe. *Geology* 38: 627-630

Lomas MW et al. (2009) Biogeochemical responses to late-winter storms in the Sargasso Sea, I-Pulses of primary and new production. *Deep-Sea Research Part I-Oceanographic Research Papers* 56: 843-860

Maddison EJ (2006) Seasonally Laminated Late Quaternary Antarctic Sediments. Ph.D. Thesis, Cardiff University

McGillicuddy DJ et al. (2007) Eddy/wind interactions stimulate extraordinary mid-ocean plankton blooms. *Science* 316: 1021-1026

Snelling AM et al. (2013) A Micro-manipulation Technique for the Purification of Diatoms for Isotope and Geochemical Analysis. *Silicon* 5: 13-17

Steinacher M et al. (2010) Projected 21st century decrease in marine productivity: a multi-model analysis. *Biogeosciences* 7:

- Swann GEA, Leng MJ (2009) A review of diatom delta O-18 in palaeoceanography. *Quaternary Science Reviews* 28: 384-398
- Swann GEA et al. (2013) Seasonally resolved diatom delta O-18 records from the West Antarctic Peninsula over the last deglaciation. *Earth and Planetary Science Letters* 364: 12-23
- Torrence C, Compo GP (1998) A Practical Guide to Wavelet Analysis. *Bulletin of the American Meteorological Society* 79: 61-78
- Wara MW, Ravelo AC, Delaney ML (2005) Permanent El Niño-like conditions during the Pliocene warm period. *Science* 309: 758-761
- Watanabe T et al. (2011) Permanent El Niño during the Pliocene warm period not supported by coral evidence. *Nature* 471: 209-211
- 16 [The global network of tree-ring widths and its applications to paleoclimatology](#)
Scott St. George
- Borgaonkar HP (2011) Dendroclimatology and climate change: Indian perspective, *Journal of the Indian Academy of Wood Science* 8: 52-61
- Bradley RS (2011) High-resolution paleoclimatology. In: Hughes MK et al. (Eds) *Dendroclimatology*, Springer, 3-15
- Breitenmoser P et al. (2013) Forward modelling of tree-ring width and comparison with a global network of tree-ring chronologies, *Climate of the Past Discussions* 9: 4065-4098
- Briffa KR et al. (2004) Large-scale temperature inferences from tree rings: a review, *Global and Planetary Change* 40: 11-26
- Bürger G (2007) Comment on "The spatial extent of 20th-century warmth in the context of the past 1200 Years", *Science* 316: 1844
- Cook ER (1987) The decomposition of tree-ring series for environmental studies, *Tree-Ring Bulletin* 47: 37-59
- Cook ER, Kairiukstis LA (Eds) *Methods in Dendrochronology: Applications in the Environmental Sciences*, Kluwer, 394 pp
- Cook ER, Krusic PJ (2004) The North American Drought Atlas. Lamont-Doherty Earth Observatory and the National Science Foundation. <http://iridl.ldeo.columbia.edu/SOURCES/.LDEO/.TRL/.NADA2004/.pdsi-atlas.html>
- Cook ER et al. (1999) Drought reconstructions for the continental United States, *Journal of Climate* 12: 1145-1162
- Cook ER et al. (2003) Dendroclimatic signals in long tree-ring chronologies from the Himalayas of Nepal, *International Journal of Climatology* 23: 707-732
- Cook ER et al. (2004) Long-term aridity changes in the western United States, *Science* 306: 1015-1018
- Cook ER et al. (2007) North American drought: Reconstructions, causes and consequences, *Earth Science Reviews* 81: 93-134
- Cook ER et al. (2010) Asian monsoon failure and megadrought during the last millennium, *Science* 328: 486-489
- Cook ER, Pederson N (2011) Uncertainty, emergence, and statistics in dendrochronology, In: Hughes MK, Swetnam TW, Diaz HF (Eds) *Dendroclimatology: Progress and Prospects*, Springer, 77-112
- Csank AZ (2009) An international tree-ring isotope data bank. A proposed repository for tree-ring isotopic data, *Tree-Ring Research* 65: 163-164
- D'Arrigo RD et al. (2013) Volcanic cooling signal in tree-ring temperature records for the past millennium, *Journal of Geophysical Research-Atmospheres* 118: 9000-9010
- Davi N et al. (2013) Is eastern Mongolia drying? A long-term perspective of a multi-decadal trend, *Water Research Resources* 49: 151-158
- Dunwiddie PW (1979) Dendrochronological studies of indigenous New Zealand trees, *New Zealand Journal of Botany* 17: 251-266
- Fritts HC (1976) *Tree Rings and Climate*, Academic Press, 567 pp
- Fritts HC et al. (1965) Tree-ring characteristics along a vegetation gradient in northern Arizona, *Ecology* 46: 394-401
- Fritts HC et al. (1971) Multivariate techniques for specifying tree-growth and climate relationships and for reconstructing anomalies in paleoclimate, *Journal of Applied Meteorology* 10: 845-864
- Hughes MK (2011) Dendroclimatology in high-resolution paleoclimatology. In: Hughes MK et al. (Eds) *Dendroclimatology*, Springer, 17-34
- Griffin DD (2011), Latewood chronology development for summer-moisture reconstruction in the U.S. Southwest, *Tree-Ring Research* 67: 87-101
- Grissino-Mayer HD, Fritts HC (1997) The International Tree-Ring Data Bank: an enhanced global database serving the global scientific community, *The Holocene* 7: 235-228

- Linderholm HW et al. (2013) Dendrochronology in Asia, *Quaternary International* 283: 1-2
- Mann ME et al. (2008) Proxy-based reconstructions of hemispheric and global surface temperature variations over the past two millennia, *Proceedings of the National Academy of Sciences* 105: 13252-13257
- Meko D et al. (1993) Spatial patterns of tree-growth anomalies in the United States and southeastern Canada, *Journal of Climate* 6: 1773-1786
- Neukom R et al. (2010) Multi-centennial summer and winter precipitation variability in southern South America, *Geophysical Research Letters* 37, doi 10.1029/2010GL043680
- Neukom R et al. (2011) Multiproxy summer and winter surface air temperature field reconstructions for southern South America covering the past centuries, *Climate Dynamics* 37: 35-51
- Ogden J, Ahmed M (1989) Climate response function analyses of kauri (*Agathis australis*) tree-ring chronologies in northern New Zealand, *Journal of the Royal Society of New Zealand* 19: 205-221
- PAGES 2k Consortium (2013) Continental-scale temperature variability during the past two millennia, *Nature Geoscience* 6: 339-346
- Pederson N et al. (2001) Hydrometeorological reconstructions for northeastern Mongolia derived from tree rings: AD 1651-1995, *Journal of Climate* 14: 872-881
- Pumijumngong N (2013) Dendrochronology in Southeast Asia, *Trees* 27: 343-358
- St. George S, Ault TR (2011) Is energetic decadal variability a stable feature of the central Pacific Coast's winter climate? *Journal of Geophysical Research - Atmospheres* 116, doi:10.1029/2010JD015325
- St. George S et al. (2013) The rarity of absent growth rings in Northern Hemisphere forests outside the American Southwest, *Geophysical Research Letters* 40, doi: 10.1002/grl.50743
- Schweingruber FH, Briffa KR (1996) Tree-ring density networks for climate reconstruction. In: Jones PD, Bradley RS, Jouzel J (Eds) *Climate Variations and Forcing Mechanisms of the Last 2000 Years*, Springer, 43-66
- Solomon S et al. (Eds) *IPCC Climate Change 2007: The Physical Science Basis*, Cambridge University Press, 996 pp
- Stallings WS (1937) Some early papers on tree rings, *Tree-Ring Bulletin* 3: 27-28
- Tolwinski-Ward et al. (2011) An efficient forward model of the climate controls on interannual variation in tree-ring width, *Climate Dynamics* 36: 2419-2439
- Touchan R et al. (2011) Spatiotemporal drought variability in northwestern Africa over the last nine centuries, *Climate Dynamics* 37: 237-252
- Villalba R et al. (2010) Dendroclimatology from regional to continental scales: understanding regional processes to reconstruct large-scale climatic variations across the western Americas, In: Hughes MK, Swetnam TW, Diaz HF (Eds) *Dendroclimatology: Progress and Prospects*, Springer, 175-227
- Villalba R et al. (2012) Unusual Southern Hemisphere tree growth patterns induced by changes in the Southern Annular Mode, *Nature Geoscience* 5: 793-798
- Williams AP et al. (2012) Temperature as a potent driver of regional forest drought stress and tree mortality, *Nature Climate Change* 3: 292-297

18 [The potential of tree rings in Terra Australis](#)
[Chris Turney, J. Palmer, K. Allen, P. Baker and P. Grierson](#)

- Allen K et al. (2012) Ring width, climate and wood density relationships in two long-lived Tasmanian tree species. *Dendrochronologia* 30: 167-177
- Baker P, Palmer J, D'Arrigo R (2008) The dendrochronology of *Callitris intratropica* in northern Australia: annual ring structure, chronology development and climate correlations. *Australian Journal of Botany* 56(4): 311-320
- Brookhouse M (2006) Eucalypt dendrochronology: past, present and potential. *Australian Journal of Botany* 54(5): 435-449
- Brookhouse M, Lindsay J, Brack C (2008) The potential of tree rings in *Eucalyptus pauciflora* for climatological and hydrological reconstruction. *Geographical Research* 46(4): 421-434
- Cook ER et al. (2000) Warm-season temperatures since 1600 BC reconstructed from Tasmanian tree rings and their relationship to large-scale sea surface temperature anomalies. *Climate Dynamics* 16(2): 79-91
- Cullen LE, Grierson PF (2009) Multi-decadal scale variability in autumn-winter rainfall in south-western Australia since 1655 BP as reconstructed from tree rings of *Callitris columellaris*. *Climate Dynamics* 33: 433-444
- Cullen LE, Grierson PF (2007) A stable oxygen, but not carbon, isotope chronology of *Callitris columellaris* reflects recent climate change in north-western Australia. *Climatic Change* 85: 213-229
- D'Arrigo R et al. (2008) On the "divergence problem" in northern forests: a review of the tree-ring evidence and possible causes. *Global and Planetary Change* 60(3): 289-305

- Drew DM, Downes GM (2009) The use of precision dendrometers in research on daily stem size and wood property variation: A review. *Dendrochronologia* 27: 159-172
- Drew DM et al. (2013) Wood properties in a long-lived conifer reveal strong climate signals where ring-width series do not. *Tree Physiology* 33: 37-47
- Evans MN et al. (2013) Applications of proxy system modeling in high resolution paleoclimatology. *Quaternary Science Reviews* 76: 16-28
- Heinrich I et al. (2008) Hydroclimatic variation in Far North Queensland since 1860 inferred from tree rings. *Palaeogeography, Palaeoclimatology, Palaeoecology* 270: 116-127
- Hogg A et al. (2013) The New Zealand kauri (*Agathis australis*) Research Project: A radiocarbon dating intercomparison of Younger Dryas wood and implications for IntCal. *Radiocarbon* 55(2): 1-14
- McDougall KL, Brookhouse MT, Broome LS (2012) Dendroclimatological investigation of mainland Australia's only alpine conifer, *Podocarpus lawrencei* Hook.f. *Dendrochronologia* 30: 1-9
- Melvin TM, Briffa KR (2008) A "signal-free" approach to dendroclimatic standardisation, *Dendrochronologia* 26(2): 71-86
- Neukom R, Gergis J (2012) Southern Hemisphere high-resolution palaeoclimate records of the last 2000 years. *The Holocene* 22(5): 501-524
- PAGES 2k Consortium (2013) Continental-scale temperature variability during the past two millennia. *Nature Geoscience* 6(5): 339-346
- Palmer J et al. (2006) Extension of New Zealand kauri (*Agathis australis*) tree-ring chronologies into Oxygen Isotope Stage (OIS) 3. *Journal of Quaternary Science* 21(7): 779-787
- Reimer PJ et al. (2013) IntCal13 and Marine13 radiocarbon age calibration curves 0-50,000 years cal BP. *Radiocarbon* 55(4): 1869-1887
- Schaub M et al. (2008) Lateglacial environmental variability from Swiss tree rings. *Quaternary Science Reviews* 27: 29-41
- Sgherza C, Cullen LE, Grierson PF (2010) Climate-isotope relationships in tree rings of three *Callitris* species from semiarid woodlands in south-western Australia. *Australian Journal of Botany*, 58: 1-13
- Turney CSM et al. (2010) Using New Zealand kauri (*Agathis australis*) to test the synchronicity of abrupt climate change during the Last Glacial Interval (60,000-11,700 years ago). *Quaternary Science Reviews* 29: 3677-3682
- Wood SW et al. (2010) Age and growth of a fire prone Tasmanian temperate old-growth forest stand dominated by *Eucalyptus regnans*, the world's tallest angiosperm. *Forest Ecology and Management* 260(4): 438-447
- Wunder J et al. (2013) On the influence of tree size on the climate-growth relationship of New Zealand kauri (*Agathis australis*): insights from annual, monthly and daily growth patterns. *Trees* 27(4): 937-948

20 [Bivalve shells: ultra high-resolution paleoclimate archives](#)
[Bernd R. Schöne and Donna Surge](#)

- Andrus CFT (2011) Shell midden sclerochronology. *Quaternary Science Reviews* 30: 2892-2905
- Barker RM (1964) Microtextural variation in pelecypod shells. *Malacologia* 2: 69-86
- Beentjes MP, Williams BG (1986) Endogenous circatidal rhythmicity in the New Zealand cockle *Chione stutchburyi* (Bivalvia, Veneridae). *Marine Behavior & Physiology* 12: 171-180
- Burchell M et al. (2013) Inter-site variability in the season of shellfish collection on the Central Coast of British Columbia. *Journal of Archaeological Science* 40: 626-636
- Butler PG et al. (2013) Variability of marine climate on the North Icelandic Shelf in a 1357-year proxy archive based on growth increments in the bivalve *Arctica islandica*. *Palaeogeography, Palaeoclimatology, Palaeoecology* 373: 141-151
- Clark GR (1974) Growth lines in invertebrate skeletons. *Annual Review of Earth and Planetary Sciences* 2: 77-99
- Dunca E, Mutvei H (2001) Comparison of microgrowth pattern in *Margaritifera margaritifera* shells from south and north Sweden. *American Malacological Bulletin* 16: 239-250
- Epstein S et al. (1953) Revised carbonate-water temperature scale. *Bulletin of the Geological Society of America* 64: 1315-1326
- Evans JW (1972) Tidal growth increments in the cockle *Clinocardium nuttalli*. *Science* 176: 416-417
- House MR, Farrow GE (1968) Daily growth banding in the shell of the cockle, *Cardium edule*. *Nature* 219: 1384-1386
- Jones DS (1980) Annual cycle of shell growth increment formation in two continental shelf bivalves and its paleoecologic significance. *Paleobiology* 6: 331-340
- Jones DS, Arthur MA, Allard DJ (1989) Sclerochronological records of temperature and growth from shells of *Mercenaria mercenaria* from Narragansett Bay, Rhode Island. *Marine Biology* 102: 225-234
- Jones DS, Quitmyer IR (1996) Marking time with bivalve shells: Oxygen isotopes and season of annual increment formation.

PALAIOS 11: 340-346.

- Jones DS, Quitmyer IR, Andrus CFT (2005) Oxygen isotopic evidence for greater seasonality in Holocene shells of *Donax variabilis* from Florida. *Palaeogeography, Palaeoclimatology, Palaeoecology* 228: 96-108
- Jones PD, Osborn TJ, Briffa KR (2001) The evolution of climate over the last millennium. *Science* 292: 662-667
- Kennish MJ, Olsson RK (1975) Effects of thermal discharges on the microstructural growth of *Mercenaria mercenaria*. *Environmental Geology (Springer)* 1: 41-64
- Kim W-S et al. (2003) Evidence of two-clock control of endogenous rhythm in the Washington clam, *Saxidomus purpuratus*. *Marine Biology* 142: 305-309
- Lohmann G, Schöne BR (2013) Climate signatures on decadal to interdecadal time scales as obtained from mollusk shells (*Arctica islandica*) from Iceland. *Palaeogeography, Palaeoclimatology, Palaeoecology* 373: 152-162
- Marchitto TM et al. (2000) Precise temporal correlation of Holocene mollusk shells using sclerochronology. *Quaternary Research* 53: 236-246
- Marin F, Le Roy N, Marie B (2012) The formation and mineralization of mollusk shell. *Frontiers in Bioscience* S4: 1099-1125
- Mutvei H, Westermark T (2001) How environmental information can be obtained from Naiad shells, In: Bauer G, Wächtler K (Eds) *Ecology and Evolution of the Freshwater Mussels Unionoidea*. Springer, 367-379
- Ohno T (1989) Palaeotidal characteristics determined by microgrowth patterns in bivalves. *Palaeontology* 32: 237-263
- Pulteney R (1781) A general view of the writing of Linnaeus. Payne and White, 425 pp
- Richardson CA (1987) Tidal bands in the shell of the clam *Tapes philippinarum* (Adams & Reeve, 1850). *Proceedings of the Royal Society London B* 230: 367-387
- Rodland DL et al. (2006) A clockwork mollusc: Ultradian rhythms in bivalve activity revealed by digital photography. *Journal of Experimental Marine Biology and Ecology* 334: 316-323
- Schöne BR, Gillikin DP (2013) Unraveling environmental histories from skeletal diaries - Advances in sclerochronology. *Palaeogeography, Palaeoclimatology, Palaeoecology* 373: 1-5
- Schöne BR, Surge DM (2012) Bivalve sclerochronology and geochemistry, In: Selden PA (Ed) *Treatise of Invertebrate Paleontology*, Part N (Mollusca, Bivalvia), Revised, Volume 1, Treatise Online 46, 1-24
- Schöne BR, Fiebig J (2009) Seasonality in the North Sea during the Allerød and Late Medieval Climate Optimum using bivalve sclerochronology. *International Journal of Earth Sciences* 98: 83-98
- Schöne BR et al. (2005) Climate records from a bivalved Methuselah (*Arctica islandica*, Mollusca; Iceland). *Palaeogeography, Palaeoclimatology, Palaeoecology* 228: 130-148
- Schöne BR et al. (2003) North Atlantic Oscillation dynamics recorded in shells of a long-lived bivalve mollusk. *Geology* 31: 1037-1040
- Schwartzmann C et al. (2011) In situ giant clam growth rate behavior in relation to temperature: A one-year coupled study of high-frequency noninvasive valvometry and sclerochronology. *Limnology and Oceanography* 56: 1940-1951
- Solomon S et al. (2007) IPCC, 2007: Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, 996 pp
- Strom A et al. (2005) Preserving low frequency climate signals in growth records of geoduck clams (*Panopea abrupta*). *Palaeogeography, Palaeoclimatology, Palaeoecology* 228: 167-178
- Thompson I, Jones DS, Dreibeilbis S (1980) Annual internal growth banding and life history of the ocean quahog *Arctica islandica* (Mollusca: Bivalvia). *Marine Biology* 57: 25-34
- Torrence C, Compo GP (1998) A practical guide to wavelet analysis. *Bulletin of the American Meteorological Society* 79: 61-78
- Wanamaker AD et al. (2012) Surface changes in the North Atlantic meridional overturning circulation during the last millennium. *Nature Communications* 3, doi: 10.1038/ncomms1901
- Wefer G, Berger WH (1991) Isotope paleontology: growth and composition of extant calcareous species. *Marine Geology* 100: 207-247
- Weymouth FW (1922) The life-history and growth of the pismo clam (*Tivela stultorum* Mawe). *Fisheries Bulletin* 7: 1-120
- Williams GB, Pilditch CA (1997) The entrainment of persistent tidal rhythmicity in a filter-feeding bivalve using cycles of food availability. *Journal of Biological Rhythms* 12: 173-181
- Wisshak M et al. (2009) Shell architecture, element composition, and stable isotope signature of the giant deep-sea oyster *Neopycnodonte zibowii* sp. n. from the NE Atlantic. *Deep Sea Research I* 56: 374-407
- Witbaard R, Duineveld GCA, de Wilde PAWJ (1997) A long-term growth record derived from *Arctica islandica* (Mollusca, Bivalvia) from the Fladen Ground (northern North Sea). *Journal of the Marine Biological Association of the United Kingdom* 77: 801-816

Zolotarev VN (1980) The life span of bivalves from the Sea of Japan and Sea of Okhotsk. *The Soviet Journal of Marine Biology* 6: 301-308

22 [Annually laminated speleothems in paleoclimate studies](#)
Liangcheng Tan, I.J. Orland and H. Cheng

Baker A et al. (2007) Analysis of the climate signal contained within $\delta^{18}\text{O}$ and growth rate parameters in two Ethiopian stalagmites. *Geochimica Et Cosmochimica Acta* 71: 2975-2988

Baker A, Genty D, Smart PL (1998) High-resolution records of soil humification and paleoclimate change from variations in speleothem luminescence excitation and emission wavelengths. *Geology* 26: 903-906

Baker A et al. (1993) Annual Growth Banding in a Cave Stalagmite. *Nature* 364: 518-520

Baker A et al. (2008) Annually Laminated Speleothems: a Review. *International Journal of Speleology* 37: 193-206

Baskaran M, Illife TM (1993) Age-Determination of Recent Cave Deposits Using Excess Pb-210 - a New Technique. *Geophysical Research Letters* 20: 603-606

Borsato A et al. (2007) Trace element distribution in annual stalagmite laminae mapped by micrometer-resolution X-ray fluorescence: Implications for incorporation of environmentally significant species. *Geochimica Et Cosmochimica Acta* 71: 1494-1512

Condomines M, Rihs S (2006) First Ra-226-Pb-210 dating of a young speleothem. *Earth and Planetary Science Letters* 250: 4-10

Fairchild IJ, Treble PC (2009) Trace elements in speleothems as recorders of environmental change. *Quaternary Science Reviews* 28: 449-468

Frappier A et al. (2002) El Niño events recorded by stalagmite carbon isotopes. *Science* 298: 565-565

Genty D, Quinif Y (1996) Annually laminated sequences in the internal structure of some Belgian stalagmites - Importance for paleoclimatology. *Journal of Sedimentary Research* 66: 275-288

Genty D et al. (1998) Bomb ^{14}C time history recorded in two modern stalagmites - importance for soil organic matter dynamics and bomb ^{14}C distribution over continents. *Earth and Planetary Science Letters* 160: 795-809

Jex C et al. (2008) Hyperspectral imaging of speleothems. *Quaternary International* 187: 5-14

Johnson KR et al. (2006) Seasonal trace-element and stable-isotope variations in a Chinese speleothem: The potential for high-resolution paleomonsoon reconstruction. *Earth and Planetary Science Letters* 244: 394-407

Liu DB et al. (2008) A detailed comparison of Asian Monsoon intensity and Greenland temperature during the Allerod and Younger Dryas events. *Earth and Planetary Science Letters* 272: 691-697

Liu YH et al. (2013) Links between the East Asian monsoon and North Atlantic climate during the 8,200 year event. *Nature Geoscience* 6: 117-120

Ma ZB et al. (2012) Timing and structure of the Younger Dryas event in northern China. *Quaternary Science Reviews* 41: 83-93

Matthey D et al. (2008) A 53 year seasonally resolved oxygen and carbon isotope record from a modern Gibraltar speleothem: Reconstructed drip water and relationship to local precipitation. *Earth and Planetary Science Letters* 269: 80-95

Orland IJ et al. (2012) Seasonal resolution of Eastern Mediterranean climate change since 34 ka from a Soreq Cave speleothem. *Geochimica Et Cosmochimica Acta* 89: 240-255

Orland IJ et al. (2009) Climate deterioration in the Eastern Mediterranean as revealed by ion microprobe analysis of a speleothem that grew from 2.2 to 0.9 ka in Soreq Cave, Israel. *Quaternary Research* 71: 27-35

Proctor CJ et al. (2000) A thousand year speleothem proxy record of North Atlantic climate from Scotland. *Climate Dynamics* 16: 815-820

Railsback LB et al. (1994) Environmental Controls on the Petrology of a Late Holocene Speleothem from Botswana with Annual Layers of Aragonite and Calcite. *Journal of Sedimentary Research Section a-Sedimentary Petrology and Processes* 64: 147-155

Shopov YY, Ford DC, Schwarcz HP (1994) Luminescent Microbanding in Speleothems - High-Resolution Chronology and Paleoclimate. *Geology* 22: 407-410

Tan LC et al. (2013) Quantitative temperature reconstruction based on growth rate of annually-layered stalagmite: a case study from central China. *Quaternary Science Reviews* 72: 137-145

Tan M et al. (2006) Applications of stalagmite laminae to paleoclimate reconstructions: Comparison with dendrochronology/climatology. *Quaternary Science Reviews* 25: 2103-2117

Tan M, Cheng H, Edwards L (2000) TIMS- ^{230}Th dating for annually laminated stalagmites, *Quaternary Sciences* 20(4): 391 (In Chinese)

Tan M et al. (2003) Cyclic rapid warming on centennial-scale revealed by a 2650-year stalagmite record of warm season temperature. *Geophysical Research Letters* 30: 191-194

24 Seasonality in speleothems

Ian J. Fairchild, M. Bar-Matthews, P. M. Wynn and I. J. Orland

- Ayalon A, Bar-Matthews M, Sass E (1998) Rainfall-recharge relationships within a karstic terrain in the Eastern Mediterranean semi-arid region, Israel: $\delta^{18}\text{O}$ and $\delta^2\text{H}$ characteristics. *Journal of Hydrology* 207: 18-31
- Baker A et al. (1993) Annual banding in a cave stalagmite. *Nature* 364: 518-520
- Baker A, Genty D, Fairchild IJ (2000) Hydrological characterisation of stalagmite dripwaters at Grotte de Villars, Dordogne, by the analysis of inorganic species and luminescent organic matter. *Hydrology and Earth System Sciences* 4: 439-449
- Baker A et al. (2008) Annually laminated speleothems: a review. *International Journal of Speleology* 37: 193-206
- Bar-Matthews M et al. (2003) Sea-land oxygen isotopic relationships from planktonic foraminifera and speleothems in the Eastern Mediterranean region and their implications for paleorainfall during interglacial intervals. *Geochimica et Cosmochimica Acta* 67: 3181-3199
- Boch R, Spötl C, Frisia S (2011) Origin and palaeoenvironmental significance of lamination in stalagmites from Katerloch Cave, Austria. *Sedimentology* 58: 508-531
- Borsato A et al. (2007) Trace element distribution in annual stalagmite laminae mapped by micrometer-resolution X-ray fluorescence: implications for incorporation of environmentally significant species. *Geochimica et Cosmochimica Acta* 71: 1494-1512
- Cheng H et al. (2009) Ice age terminations. *Science* 326: 248-252
- Drysdale RN et al. (2012) Precise microsampling of poorly laminated speleothems for U-series dating. *Quaternary Geochronology* 14: 38-47
- Fairchild IJ et al. (2000) Controls on trace element (Sr-Mg) compositions of carbonate cave waters: implications for speleothem climatic records. *Chemical Geology* 166: 255-269
- Fairchild IJ et al. (2001) Annual to sub-annual resolution of multiple trace element trends in speleothems. *Journal of the Geological Society* 158: 831-841
- Fairchild IJ, Baker A (2012) *Speleothem Science. From Process to Past Environments*. Wiley-Blackwell, 450 pp
- Frisia S et al. (2000) Calcite fabrics, growth mechanisms and environments of formation in speleothems from the Italian Alps and southwest Ireland. *Journal of Sedimentary Research* 70: 1183-1196
- Frisia S et al. (2005) Variations in atmospheric sulphate recorded in stalagmites by synchrotron micro-XRF and XANES analyses. *Earth and Planetary Science Letters* 235: 729-740
- Frisia S et al. (2011) Carbon mass-balance modelling and carbon isotope exchange processes in dynamic caves. *Geochimica et Cosmochimica Acta* 75: 380-400
- Hartland A et al. (2012) From soil to cave: transport of trace metals by natural organic matter in karst dripwaters. *Chemical Geology* 304-305: 68-82
- Hu C et al. (2008) Quantification of Holocene Asian monsoon rainfall from spatially separated cave records. *Earth and Planetary Science Letters* 266: 221-232
- Johnson KR et al. (2006) Seasonal trace-element and stable isotope variations in a Chinese speleothem: The potential for high-resolution paleomonsoon reconstruction. *Earth and Planetary Science Letters* 244: 394-407
- Mattey DM et al. (2008) A 53 year seasonally resolved oxygen and carbon isotope record from a modern Gibraltar speleothem: Reconstructed drip water and relationship to local precipitation. *Earth and Planetary Science Letters* 269: 80-95
- Orland IJ et al. (2009) Climate deterioration in the Eastern Mediterranean as revealed by ion microprobe analysis of a speleothem that grew from 2.2 to 0.9 ka in Soreq Cave, Israel. *Quaternary Research* 71: 27-35
- Orland IJ et al. (2012) Seasonal resolution of Eastern Mediterranean climate change since 34 ka from a Soreq Cave speleothem. *Geochimica et Cosmochimica Acta* 89: 240-255
- Orland IJ et al. (2014) Seasonal climate signals (1990-2008) in a modern Soreq Cave stalagmite as revealed by high-resolution geochemical analysis. *Chemical Geology* 363: 322-333.
- Spötl C, Mattey D (2006) Stable isotope microsampling of speleothems for palaeoenvironmental studies: A comparison of microdrill, micromill and laser ablation techniques. *Chemical Geology* 235: 48-58
- Tremaine DM, Froelich PN (2013) Speleothem trace element signatures: A hydrologic geochemical study of modern cave dripwaters and farmed calcite. *Geochimica et Cosmochimica Acta* 121: 522-545
- Wang YJ et al. (2001) A high resolution absolute dated late Pleistocene monsoon record from Hulu Cave, China. *Science* 294: 2345-2348

Wong CI, Banner JL, Musgrove ML (2011) Seasonal dripwater Mg/Ca and Sr/Ca variations driven by cave ventilation: Implications for and modeling of speleothem palaeoclimate records. *Geochimica et Cosmochimica Acta* 75: 3514-3529

Wynn, PM et al. (2014) Synchrotron X-ray distinction of seasonal hydrological and temperature patterns in speleothem carbonate. *Environmental Chemistry*, 11: 28-36.

26 [State of the art of ice core annual layer dating](#)
[Sune O. Rasmussen, A. Svensson and M. Winstrup](#)

Bazin L et al. (2013) An optimized multi-proxy, multi-site Antarctic ice and gas orbital chronology (AICC2012): 120-800 ka, *Climate of the Past* 9: 1715-1731

Bigler M et al. (2011) Optimization of High-Resolution Continuous Flow Analysis for Transient Climate Signals in Ice Cores, *Environmental Science & Technology* 45: 4483-4489

Blunier T, Brook EJ (2011) Timing of millennial-scale climate change in Antarctica and Greenland during the last glacial period, *Science* 291: 109-112

Dansgaard W (1964) Stable isotopes in precipitation, *Tellus* 16: 436-468

Johnsen SJ et al. (2000) Diffusion of stable isotopes in polar firn and ice: The isotope effect in firn diffusion, In: Hondoh T (Ed) *Physics of Ice Core Records*, Hokkaido University Press, 121-140

Jouzel J et al. (2007) Orbital and millennial Antarctic climate variability over the past 800,000 years, *Science* 317: 793-796

Lemieux-Dudon B (2010) Consistent dating for Antarctic and Greenland ice cores, *Quaternary Science Reviews* 29: 8-20

McConnell JR et al. (2002) Continuous ice-core chemical analyses using inductively coupled plasma mass spectrometry, *Environmental Science & Technology* 36: 7-11

McGwire KC et al. (2011) Identifying annual peaks in dielectric profiles with a selection curve, *Journal of Glaciology* 57: 763-769

NEEM community members (2013) Eemian interglacial reconstructed from a Greenland folded ice core, *Nature* 493: 489-494

Parrenin F et al. (2012) Volcanic synchronisation between the EPICA Dome C and Vostok ice cores (Antarctica) 0–145 kyr BP, *Climate of the Past* 8: 1031-1045

Pedro JB et al. (2011) The last deglaciation: timing the bipolar seesaw, *Climate of the Past* 7: 671-683

Raisbeck GM et al. (2007) Direct north-south synchronization of abrupt climate change records in ice cores using beryllium 10, *Climate of the Past* 3: 541–547

Rasmussen SO et al. (2006) A new Greenland ice core chronology for the last glacial termination, *Journal of Geophysical Research* 111, doi: 06110.01029/02005JD006079

Rasmussen SO et al. (2008) Synchronization of the NGRIP, GRIP, and GISP2 ice cores across MIS 2 and palaeoclimatic implications, *Quaternary Science Reviews* 27: 18-28

Röthlisberger R et al. (2000) Technique for continuous high-resolution analysis of trace substances in firn and ice cores, *Environmental Science & Technology* 34: 338-342

Severi M et al. (2007) Synchronisation of the EDML and EDC ice cores for the last 52 kyr by volcanic signature matching, *Climate of the Past* 3: 367-374

Sigl M et al. (2013) A new bipolar ice core record of volcanism from WAIS Divide and NEEM and implications for climate forcing of the last 2000 years, *Journal of Geophysical Research: Atmospheres* 118: 1151-1169

Steffensen JP et al. (2008) High-resolution Greenland ice core data show abrupt climate change happens in few years, *Science* 321: 680-684

Svensson A et al. (2005) Visual stratigraphy of the North Greenland Ice Core Project (NorthGRIP) ice core during the last glacial period, *Journal of Geophysical Research* 110, doi: 02110.01029/02004JD005134

Svensson A et al. (2008) A 60 000 year Greenland stratigraphic ice core chronology, *Climate of the Past* 4: 47-57

Svensson A et al. (2013) Direct linking of Greenland and Antarctic ice cores at the Toba eruption (74 ka BP), *Climate of the Past* 9: 749-766

Veres D et al. (2013) The Antarctic ice core chronology (AICC2012): an optimized multi-parameter and multi-site dating approach for the last 120 thousand years, *Climate of the Past* 9: 1733-1748

Vinther BM et al. (2006) Synchronized dating of three Greenland ice cores throughout the Holocene, *Journal of Geophysical Research* 111, doi: 13110.11029/12005JD006921

WAIS Divide Project Members (2013) Onset of deglacial warming in West Antarctica driven by local orbital forcing, *Nature* 500: 440-444

Wheatley JJ et al. (2012) Automated ice-core layer-counting with strong univariate signals, *Climate of the Past* 8: 1869-1879

Winstrup M et al. (2012) An automated approach for annual layer counting in ice cores, *Climate of the Past* 8: 1881-1895

28 [Annually resolved climate signals in high-alpine ice cores](#)
Margit Schwikowski, A. Eichler, T.M. Jenk and I. Mariani

Bigler M et al. (2011) Optimization of high-resolution continuous flow analysis for transient climate signals in ice cores. *Environmental Science & Technology* 45: 4483-4489

Bohleber P et al. (2013) To what extent do water isotope records from low accumulation Alpine ice cores reproduce instrumental temperature series? *Tellus B* 65, doi: 10.3402/tellusb.v65i0.20148

Brönnimann S et al. (2013) Simulating the temperature and precipitation signal in an Alpine ice core. *Climate of the Past* 9: 2013-2022

Eichler A et al. (2009) Temperature response in the Altai region lags solar forcing. *Geophysical Research Letters* 36, doi: 10.1029/2008GL035930

Jenk TM et al. (2009) A novel radiocarbon dating technique applied to an ice core from the Alps indicating late Pleistocene ages. *Journal of Geophysical Research* 114, doi: 10.1029/2009JD011860

Kaspari S et al. (2007) Reduction in northward incursions of the South Asian monsoon since ~1400 AD inferred from a Mt. Everest ice core. *Geophysical Research Letters* 34, doi: 10.1029/2007GL030440

Kellerhals T et al. (2010) Ammonium concentration in ice cores: A new proxy for regional temperature reconstruction? *Journal of Geophysical Research* 115, doi: 10.1029/2009JD012603

Knüsel S et al. (2005) ENSO signals of the twentieth century in an ice core from Nevado Illimani, Bolivia. *Journal of Geophysical Research* 110, doi: 10.1029/2004JD005420

Lüthi MP, Funk M (2000) Dating ice cores from a high Alpine glacier with a flow model for cold firn. *Annals of Glaciology* 3: 69-79

Mariani I et al. (2012) Temperature and precipitation signal in two Alpine ice cores over the period 1961–2001. *Climate of the Past Discussion* 8: 5867-5891

Preunkert S et al. (2000) Col du Dôme (Mt Blanc Massif, French Alps) suitability for ice-core studies in relation with past atmospheric chemistry over Europe. *Tellus* 52B: 993-1012

Thompson L et al. (2013) Annually resolved ice core records of tropical climate variability over the past ~1800 years. *Science* 340: 945-950

Mini Section: Human Impact on Soils and Sediments in Asia

30 [PAGES' Focus 4 Theme on Soils and Sediments: an Asian perspective](#)
Thomas Hoffmann, R. Wasson and A. Ziegler

Balter M (2013) Archaeologists say the "Anthropocene" is here - But it began long ago, *Science* 340: 261-262

Boyle JF et al. (2011) Modeling prehistoric land use and carbon budgets: a critical review, *The Holocene* 21(5): 715-722

De Koninck R et al. (2011) *Borneo Transformed. Agricultural Expansion on the Southeast Asian Frontier*, NUS Press, 216pp.

Elvin M, Liu T (1998) *Sediments of Time. Environment and Society in Chinese History*, Cambridge University Press, 819pp

Elvin M (2004) *The Retreat of the Elephants. An Environmental History of China*, Yale University Press, 564pp

Erkens G et al. (2011) Complex fluvial response to Late Glacial and Holocene allogenic forcings in the Lower Rhine embayment (Germany), *Quaternary Science Reviews* 30: 611-627

Green P et al. (2004) Pre-industrial and contemporary fluxes of nitrogen through rivers: a global assessment based on typology, *Biogeochemistry* 68: 71-105

Hoffmann T et al. (2010) Human impact on fluvial regimes and sediment flux during the Holocene: Review and future research agenda, *Global and Planetary Change* 72: 87-98

Hoffmann T et al. (2007) Holocene floodplain sediment storage and hillslope erosion within the Rhine catchment, *The Holocene* 17(1): 105-118

Fryirs K (2013) (Dis)Connectivity in catchment sediment cascades: a fresh look at the sediment delivery problem. *Earth Surface Processes and Landforms* 38: 30-46

Fryirs K et al. (2007) Landscape (dis)connectivity in the Upper Hunter catchment, New South Wales, Australia. *Geomorphology* 84: 297-316

Kaplan JO et al. (2011) Holocene carbon emissions as a result of anthropogenic land cover change, *The Holocene* 21(5): 775-791

- Stinchcomb GE et al. (2011) Pre-colonial (A.D. 1100-1600) sedimentation related to prehistoric maize agriculture and climate change in eastern North America. *Geology* 39: 363-366
- Stark M (2006) Early mainland Southeast Asian landscapes in the First Millennium A.D., *Annual Reviews of Anthropology* 35: 407-432
- Syvitski JPM (2005) Impact of humans on the flux of terrestrial sediment to the global coastal ocean, *Science* 308: 376-380
- Trimble SW (1999) Decreased rates of alluvial sediment storage in the Coon Creek Basin, Wisconsin, 1975-93. *Science* 285: 1244-1246
- Verstraeten G (2009) A temporarily changing Holocene sediment budget for a loess-covered catchment (central Belgium), *Geomorphology*, 108(1-2): 24-34
- Wasson RJ (1996) Land Use and Climate Impacts on Fluvial Systems during the Period of Agriculture. Recommendations for a Research Project and its Implementation, PAGES Workshop Report, Series 96-2: 51pp
- Wyatt DK (2003) Thailand: A Short History, Yale University Press, 384pp

32 [Social upheaval in Angkor from fluvial response to land use and climate variability](#)
[Dan Penny](#)

- Albert DA et al. (2005) Hydrogeomorphic classification for Great Lakes coastal wetlands. *Journal of Great Lakes Research* 31: 129-146
- Buckley BM et al (2010) Climate as a contributing factor in the demise of Angkor, Cambodia. *Proceedings of the National Academy of Sciences* 107: 6748-6752
- Cook ER et al. (2010) Asian monsoon failure and megadrought during the last millennium. *Science* 328: 486-489
- Day MB et al. (2012). Paleoenvironmental history of the West Baray, Angkor (Cambodia). *Proceedings of the National Academy of Sciences* 109: 1046-1051
- Evans D et al. (2007) A comprehensive archaeological map of the world's largest preindustrial settlement complex at Angkor, Cambodia. *Proceedings of the National Academy of Sciences* 104: 14277-14282
- Groslier BP (1979) VII. La cité hydraulique angkoriennne: exploitation ou surexploitation du sol? *Bulletin de l'Ecole française d'Extrême-Orient* 66(1): 161-202
- Fletcher R (2011) Low-density, agrarian-based urbanism, In: Smith ME (Ed) *The comparative archaeology of complex societies*, 285-320
- Fletcher R et al. (2008) The water management network of Angkor, Cambodia. *Antiquity* 82: 658-670
- Graham S (2009) *Disrupted cities: when infrastructure fails*. Routledge, 196 pp
- Lustig T et al. (2008) Did traditional cultures live in harmony with nature? lessons from Angkor, Cambodia. In: Kumm M et al. (Eds) *Modern Myths of the Mekong*, 81-94
- Penny D (2006) The Holocene history and development of the Tonle Sap, Cambodia. *Quaternary Science Reviews* 25(3): 310-322
- Penny D et al. (2005) Hydrological history of the West Baray, Angkor, revealed through palynological analysis of sediments from the West Mebon. *Bulletin de l'Ecole française d'Extrême-Orient* 92: 497-521
- Pottier C (1999) *Carte Archéologique de la Région d'Angkor. Zone Sud*. Ph.D thesis Université Paris III - Sorbonne Nouvelle (UFR Orient et Monde Arabe)
- Wasson RJ (1996) Land Use and Climate Impacts on Fluvial Systems during the Period of Agriculture. Recommendations for a Research Project and its Implementation. PAGES Workshop Report, Series 96-2, 51pp

34 [Sediment load and carbon burial in the Yellow River during the Holocene](#)
[Lishan Ran and Xixi Lu](#)

- Battin TJ et al. (2009) The boundless carbon cycle, *Nature Geoscience* 2: 598-600
- Cauwet G, Mackenzie FT (1993) Carbon inputs and distribution in estuaries of turbid rivers: 738 the Yang Tze and Yellow rivers (China), *Marine Chemistry* 43: 235-246
- Cui B et al. (2009) Evaluating the ecological performance of wetland restoration in the Yellow River Delta, China, *Ecological Engineering* 35: 1090-1103
- Hoffmann T et al. (2010) Human impact on fluvial regimes and sediment flux during the Holocene: Review and future research

agenda, *Global and Planetary Change* 72: 87-98

- Li SN et al. (2009) Influence of hydrology process on wetland landscape pattern: A case study in the Yellow River Delta, *Ecological Engineering* 35: 1719-1726
- Liu JP, Milliman JD, Gao S (2002) The Shandong mud wedge and post-glacial sediment accumulation in the Yellow Sea, *Geomarine Letters* 21(4): 212-218
- Lu XX et al. (2013) Sediment loads response to climate change: A preliminary study of eight large Chinese rivers, *International Journal of Sediment Research* 28: 1-14
- Milliman JD et al. (1987) Man's influence on the erosion and transport of sediment by Asian Rivers: The Yellow River (Huanghe) example, *Journal of Geology* 95: 751-762
- Ran L et al. (2013) Cumulative sediment trapping by reservoirs in large river basins: A case study of the Yellow River basin, *Global and Planetary Change* 100: 308-319
- Ren ME, Zhu XM (1994) Anthropogenic influences on changes in the sediment load of the Yellow River, China, during the Holocene, *The Holocene* 4: 314-320
- Saito Y, Yang Z, Hori K (2001) The Huanghe (Yellow River) and Changjiang (Yangtze River) deltas: a review on their characteristics, evolution and sediment discharge during the Holocene, *Geomorphology* 41: 219-231
- Shi C, Zhang D, You L (2002) Changes in sediment yield of the Yellow River basin of China during the Holocene, *Geomorphology* 46: 267-283
- Sluyter A (1997) Regional, Holocene records of the human dimension of global change: sea-level and land-use change in prehistoric Mexico, *Global and Planetary Change* 14: 127-146
- Syvitski JPM et al. (2005) Impact of humans on the flux of terrestrial sediment to the global coastal ocean, *Science* 308: 376-380
- Wang H et al. (2007) Stepwise decreases of the Huanghe (Yellow River) sediment load (1950-2005): Impacts of climate change and human activities, *Global and Planetary Change* 57: 331-354
- Xu X, Lin H, Fu Z (2004) Probe into the method of regional ecological risk assessment - a case study of wetland in the Yellow River Delta in China, *Journal of Environmental Management* 70(3): 253-262

36 [Tectonic and volcanic forcing on fluvial systems: two case studies from Japan](#)
Thomas Parkner and Mio Kasai

- Dearing JA et al. (2006) Human-environment interactions: learning from the past, *Regional Environmental Change* 6: 1-16
- Furukawa R et al. (1997) Did Hokkaido Komagatake volcano erupt in 1694? Reappraisal of the eruptive ages of 17-18th centuries in Hokkaido, *Bulletin of the Volcanological Society of Japan* 42: 269-276 (in Japanese with English abstract)
- Imai T (1975) Changing agricultural land use during the exploitation period 1868-1944 in Hokkaido, *Geography* 25(2): 293-299
- Nanayama F et al. (2007) Nine unusually large tsunami deposits from the past 4000 years at Kiritappu marsh along the southern Kuril Trench, *Sedimentary Geology* 200: 275-294
- Machida H, Arai F (2003) Atlas of tephra in and around Japan, Tokyo University Press, 336 pp (in Japanese)
- Sawai Y et al. (2009) Aperiodic recurrence of geologically recorded tsunamis during the past 5500 years in eastern Hokkaido, Japan, *Journal of Geophysical Research-Solid Earth* 114, doi: 10.1029/2007JB005503
- Shimizu O (1998) Sediment budgets to analyze sediment transport processes through drainage basins, *Research Bulletin of the Hokkaido University Forests* 55: 123-215
- Wasson RJ (1996) Land use and climate impacts on fluvial systems during the period of agriculture, *PAGES Report* 96-2, 52 pp

Workshop Reports

38 [Hydroclimatic reconstructions over Europe and the Mediterranean](#)

- Büntgen, U et al. (2010) Assessing the spatial signature of European climate reconstructions. *Climate Research* 41: 125-130
- Gómez-Navarro JJ et al. (2013) A regional climate palaeosimulation for Europe in the period 1500-1990 Part 1: Model validation. *Climate of the Past* 9: 1667-1682
- Van der Schrier G, Jones PD, Briffa KR (2011) The sensitivity of the PDSI to the Thornthwaite and Penman-Monteith parameterizations for potential evapotranspiration. *Journal of Geophysical Research Atmospheres*, 116, doi: 10.1029/2010JD015001
- Zorita, E, von Storch H (1999) The Analog Method as a Simple Statistical Downscaling Technique: Comparison with More Complicated Methods. *Journal of Climate* 12: 2474-2489

39 [12th International Workshop on Subfossil Chironomids](#)

Brooks SJ, Langdon PG and Heiri O (2007) The identification and use of Palaeartic Chironomidae Larvae in Palaeoecology. QRA Technical Guide No. 10, Quaternary Research Association, London. 276pp.

Juggins S (2013) Quantitative reconstructions in palaeolimnology: new paradigm or sick science? *Quaternary Science Reviews* 64: 20-32

40 [Multi-Scale Analyses of Fire-Climate-Vegetation Interactions on Millennial Scales](#)

Daniau AL et al. (2012) Predictability of biomass burning in response to climate changes. *Global Biogeochemical Cycles* 26, doi: 10.1029/2011GB004249

Marlon JR et al. (2013) Global biomass burning: A synthesis and review of Holocene paleofire records and their controls. *Quaternary Science Reviews* 65: 5-25

Power MJ et al. (2008) Changes in fire regime since the Last Glacial Maximum: an assessment based on a global synthesis and analysis of charcoal data. *Climate Dynamics* 30: 887-907

Vanni re B et al. (2011) Circum-Mediterranean fire activity and climate changes during the mid Holocene environmental transition (8500-2500 cal yr BP). *The Holocene* 21: 53-73

41 [Holocene circum-Arctic peatland carbon dynamics](#)

Charman D et al. (2013) Climate-related changes in peatland carbon accumulation during the last millennium, *Biogeosciences* 10: 929-944

Gorham E (1991) Northern peatlands: role in the carbon cycle and probable responses to climatic warming, *Ecological Applications* 1: 182-195

Loisel J et al. (in press) A database and synthesis of northern peatland soil properties and Holocene carbon and nitrogen accumulation, *The Holocene*

Ruppel M et al. (2013) Postglacial spatiotemporal peatland initiation and lateral expansion dynamics in North America and northern Europe, *The Holocene* 23: 1596-1606

Spahni R et al. (2013) Transient simulations of the carbon and nitrogen dynamics in northern peatlands: from the Last Glacial Maximum to the 21st century, *Climate of the Past* 9: 1287-1308

Yu ZC et al. (2010) Global peatland dynamics since the Last Glacial Maximum. *Geophysical Research Letters* 37, doi: 10.1029/2010GL043584.

Yu ZC (2011) Holocene carbon flux histories of the world's peatlands: Global carbon-cycle implications, *The Holocene* 21: 761-774

Yu ZC (2012) Northern peatland carbon stocks and dynamics: a review. *Biogeosciences* 9: 4071-4085

42 [Estimating rates and sources of sea level change during past warm periods](#)

Born A and Nisancioglu KH (2012) Melting of Northern Greenland during the last interglaciation, *The Cryosphere* 6: 1239-1250

Colville EJ et al. (2011) Sr-Nd-Pb Isotope Evidence for Ice-Sheet Presence on Southern Greenland during the Last Interglacial, *Science* 333: 620-623

Cuffey KM, Marshall SJ (2000) Substantial contribution to sea-level rise during the last interglacial from the Greenland ice sheet, *Nature* 404: 591-594

Dutton A, Lambeck K (2012) Ice volume and sea level during the last interglacial, *Science* 337: 216-219

Helsen MM et al. (2013) Coupled regional climate-ice sheet simulation shows limited Greenland ice loss during the Eemian, *Climate of the Past* 9: 1773-1788

Kemp AC et al. (2011) Climate related sea level variations over the past two millennia, *PNAS* 108: 11017-11022

Kopp RE et al. (2009) Probabilistic assessment of sea level during the last interglacial stage, *Nature* 462: 863-867

L'homme N, Clarke GKC, Marshall SJ (2005) Tracer transport in the Greenland Ice Sheet, *Quaternary Science Reviews* 24: 173-194

NEEM community members (2013) Eemian interglacial reconstructed from a Greenland folded ice core, *Nature* 493: 489-494

Oerlemans J, Dahl-Jensen D, Masson-Delmotte V (2006) Ice sheets and sea-level rise, *Science* 313: 1043-1045

Otto-Bliesner BL et al. (2006) Simulating Arctic climate warmth and icefield retreat in the last interglaciation, *Science* 31: 1751-1753

Quiquet A et al. (2012) Greenland ice sheet contribution to sea level rise during the last interglacial period: a modelling study driven and constrained by ice core data, *Climate of the Past* 9: 353-366

Robinson A, Calov R, Ganapolski A (2011) Greenland Ice Sheet model parameters constrained using simulations of the Eemian Interglacial, *Climate of the Past* 7: 381-396

Rowley DB et al. (2013) Dynamic topography change of the eastern United States since 3 million years ago, *Science* 340: 1560-1563

Stone EJ et al. (2013) Quantification of the Greenland ice sheet contribution to Last Interglacial sea level rise, *Climate of the Past* 9: 621-639

Tarasov L, Peltier WR (2003) Greenland glacial history, borehole constraints, and Eemian extent, *Journal of Geophysical Research* 108, doi: 10.1029/2001JB001731

43 [COMPARE 2013: Constraining tropical ocean cooling during the last glacial](#)

Hargreaves JC et al (2012) *Geophysical Research Letters* 39: L24702

Kageyama M et al. *Climate Dynamics* 40: 2469-2495

Kucera, M, Paul A, Mulitza S (2012) *PAGES news* 20: 102

MARGO Project Members (2009) *Nature Geoscience* 2: 127-132

Shakun JD et al. (2012) *Nature* 484: 49-54

44 [Integrated analyses of reconstructions and multi-model simulations for the past 2k](#)

Lehner F, Raible CC, Stocker TF (2012) Testing the robustness of a precipitation proxy-based North Atlantic Oscillation reconstruction. *Quaternary Science Reviews* 45: 85-94

Masson-Delmotte V et al. (2013) Information from Paleoclimate Archives, In: Stocker T F et al. (Eds) *Climate Change 2013: The Physical Science Basis*. Cambridge University Press, 383-464

PAGES 2k Consortium (2013) Continental-scale temperature variability during the last two millennia. *Nature Geoscience* 6: 339-346

Schurer AP, Tett S, Hegerl G (2014) Small influence of solar variability on climate over the past millennium. *Nature Geoscience* 7: 104-108

Sundberg R, Moberg A, Hind A (2012) Statistical framework for evaluation of climate model simulations by use of climate proxy data from the last millennium – Part 1: Theory, *Climate of the Past* 8: 1339-1353

45 [PMIP Ocean - Understanding changes since the Last Glacial Maximum](#)

Khatiwala S, Visbeck M, Cane MA (2005) Accelerated simulation of passive tracers in ocean circulation models. *Ocean Model*, 9: 51-69

Schmittner A et al. (2013) Biology and air-sea gas exchange controls on the distribution of carbon isotope ratios ($\delta^{13}C$) in the ocean. *Biogeosciences* 10: 5793-5816

46 [Quaternary paleoecology: Reconstructing past environments](#)

Bennett KD, Willis KJ (1995) The role of ecological factors in controlling vegetation dynamics on long temporal scales, *Giornale Botanico Italiano* 129: 243–254

Fontana SL, Bennett KD (2012) Postglacial vegetation dynamics of western Tierra del Fuego, *The Holocene* 22: 1337–1350

Fontana SL, Bianchi MM, Bennett KD (2012) Palaeoenvironmental changes since the Last Glacial Maximum: patterns, timing and dynamics throughout South America, *The Holocene* 22: 1203-1206

48 [4th Polar Marine Diatom Taxonomy and Ecology Workshop](#)

Fryxell GA, Prasad AKSK (1990) *Eucampia antarctica* var. *recta* (Mangin) stat. nov. (Biddulphiaceae, Bacillariophyceae): life stages at the Weddell Sea ice edge, *Phycologia* 29 (1): 27-38

Dennis D et al. (2010) Sea ice and wind variability during the Holocene in East Antarctica: insight on middle–high latitude coupling, *Quaternary Science Reviews* 29(27-28): 3709-3719

50 [Reconstructing past sea ice](#)

Abram NJ, Wolff EW, Curran MAJ (2013) A review of sea ice proxy information from polar ice cores, *Quaternary Science Reviews* 79: 168-183

Belt ST, Müller J (2013) The Arctic sea ice biomarker IP25: a review of current understanding, recommendations for future research and applications in palaeo sea ice reconstructions, *Quaternary Science Reviews* 79: 9-25

de Vernal A, Wolff EW, Gersonde R (2013a) Sea ice in the paleoclimate system, *PAGES News* 21(1): 43

de Vernal A et al. (2013b) Reconstructing past sea ice cover of the Northern Hemisphere from dinocyst assemblages: status of the approach, *Quaternary Science Reviews* 79: 122-134

de Vernal A et al. (2013c) Sea ice in the paleoclimate system: the challenge of reconstructing sea ice from proxies: an introduction, *Quaternary Science Reviews* 79: 1-8

51 [1st Summer School on Speleothem Science](#)

Henderson GM (2006) Caving in to new chronologies. *Science* 313: 620-622

52 [1st Workshop on Paleoeological Databases in South America](#)

Blaauw M, Christen JA (2011) Flexible paleoclimate age-depth models using an autoregressive gamma process. *Bayesian Analysis* 6: 457-474.

Grimm, EC (1991) *Tilia and Tiliagraph*. Illinois State Museum, Springfield.

54 [African climate-vegetation interaction since the last glacial period](#)

Dupont L (2011) Orbital scale vegetation change in Africa, *Quaternary Science Reviews* 30: 3589-3602

Elenga H et al. (2000) Pollen-based biome reconstruction for southern Europe and Africa 18,000 yr BP, *Journal of Biogeography* 27: 621-634

Jolly D et al. (1998) Biome reconstruction from pollen and plant macrofossil data for Africa and the Arabian peninsula at 0 and 6 ka, *Journal of Biogeography* 25: 1007-1027