

Additional References:**Newsletter 2007/1 "Past Human-Climate-Ecosystem Interactions"**

There are references for the following articles:

- [R.R. Schneider](#)
- [J.A. Dearing and R.W Battarbee](#)
- [K. Hibbard and R. Costanza](#)
- [P. Gell, R. Jones and A. MacGregor](#)
- [R.H.W. Bradshaw and J. Boyle](#)
- [T. Hoffmann, A. Lang and R. Dikau](#)
- [P. J. Hearty](#)

R.R. Schneider:

Weldeab, S., Lea, D., Schneider, R.R. and Andersen, N., 2007: 155,000 years of West African monsoon and ocean thermal evolution, *Science*, **316**(5829); 1303-13-7.

J.A. Dearing and R.W Battarbee:

Anderson, N.J., Bugmann, H., Dearing, J.A., Gaillard-Lemdale, M-J., 2006: Linking palaeoenvironmental data and models to understand the past and to predict the future, *Trends in Ecology and Evolution*, **21**: 696-704.

Dearing, J.A., in press: Landscape-land use interactions and resilience theory: a palaeoenvironmental assessment from Yunnan, SW China, *The Holocene*.

Dearing, J.A., Jones, R.T., Ji, S., Yang, X., Boyle, J.F., Foster, G., Crook, D.S. and Elvin, M., in press: Holocene human-environment interactions in sub-tropical south-west China: a case-study from the Erhai lake catchment Yunnan Province, *Journal of Paleolimnology*.

Elvin, M., Crook, D.S., Jones, R.T. and Dearing, J.A., 2002: The impact of clearance and irrigation on the environment in the lake Erhai catchment from the ninth to the nineteenth century, *East Asian Studies*, **2**: 1-60.

Giorgi, F., 2006: Climate change hot-spots, *Geophysical Research Letters*, **33**: L08707.
Doi:10.1029/2006GL025734.

Prentice, I.C., Cramer, W., Harrison, S.P., Leemans, R., Monserud, R.A. and Solomon, A.M., 1992: A global biome model based on plant physiology and dominance, soil properties and climate, *Journal of Biogeography*, **19**: 117-134.

Sellers, P.J., Dickinson, R.E., Randall, D.A., Betts, A.K., Hall, F.G., Berry, J.A., Collatz, G.J., Denning, A.S., Mooney, H.A., Nobre, C.A., Sato, N., Field, C.B. and Henderson-Sellers, A., 1997: Modeling the exchanges of energy, water, and carbon between the continents and the atmosphere, *Science*, **275**: 502-509.

Shen, J., Jones, R.T., Yang, X., Dearing, J.A. and Wang, S., 2006: The Holocene vegetation history of Erhai lake, Yunnan Province, southwestern China: The role of climate and human forcings, *The Holocene*, **16**: 265-276.

Wang, Y., Cheng, H., Edwards, R.L., He, Y., Kong, X., An, Z., Wu, J., Kelly, M.J., Dykoski, C.A. and Li, X., 2005: The Holocene Asian Monsoon: links to solar changes and North Atlantic climate, *Science*, **308**: 854-857.

Williams, J.W., Jackson, S.T. and Kutzbach, J.E., 2007: Projected distributions of novel and disappearing climates by 2100 AD, *Proceedings of the National Academy of Science*, DOI: 10.1073/pnas.0606292104

K. Hibbard and R. Costanza:

Costanza, R., Graumlich, L., Steffen, W., Crumley, C., Dearing, J., Hibbard, K., Leemans, R., Redman, C. and Schimel, D., in review: Sustainability or Collapse: What Can We Learn from Integrating the History of Humans and the Rest of Nature? *Ambio*.

van der Leeuw, S.E., 1998: ARCHAEMEDES: la longue durée et l'étude socio-environnementale de la dégradation, *Nature-Sciences-Sociétés*, **6**(4): 53-58.

P. Gell, R. Jones and A. MacGregor:

Bowler, J.M., 1981: Australian salt lakes: a paleohydrologic approach, *Hydrobiologia*, **82**: 431–444.

Chivas, A.R., De Deckker, P. and Shelley, J.M.G., 1985: Strontium content of ostracods indicates lacustrine paleosalinity, *Nature*, **316**: 251–253.

Gell, P.A., 1998: Quantitative reconstructions of the Holocene palaeosalinity of paired crater lakes based on a diatom transfer function, *Palaeoclimates*, **4**: 1-14.

Fluin, J., Gell, P., Haynes, D. and Tibby, J., in press: Paleolimnological evidence for the independent evolution of neighbouring terminal lakes, the Murray Darling Basin, Australia, *Hydrobiologia*.

Gell, P., Fluin, J., Tibby, J., Haynes, D., Khanum, S., Walsh, B., Hancock, G., Harrison, J., Zawacki, A. and Little, F., 2006: Changing Fluxes of Sediments and Salts as Recorded in lower River Murray wetlands, Australia, *International Association of Hydrological Sciences*, **306**: 416-424.

Jones, R.N. and Durack, P.J., 2005: Estimating the Impacts of Climate Change on Victoria's Runoff Using a Hydrological Sensitivity Model, *CSIRO Atmospheric Research*, Aspendale, VIC, Australia, 47 pp.

Zhang, L., Austin, J., Dawes, W., Hairsine, P., Durack, P. and Jones, R., 2005: Implications of climate change for natural resource management: A preliminary assessment of the impact of climate change on catchment salt and water balances for selected catchments in Victoria, *Research Report for the Australian Greenhouse Office, CSIRO Land and Water*, Canberra, 51 pp.

Dreverman, D., 2006: First Minister's Briefing: River Murray System Drought Operation and Planning 2006-07 and Beyond (Presentation). *Summit on the Southern Murray Darling Basin*, 7 November 2006, Murray Darling Basin Commission, Canberra.

R.H.W. Bradshaw and J. Boyle:

Berglund, B.E. et al., (Ed.), 1991: The cultural landscape during 6000 years in southern Sweden, *Ecological Bulletins*, **41**: 1-495.

Carcaillet, C., Bergman, I., Delorme, S., Hornberg, G. and Zackrisson, O., 2007: Long-term fire frequency not linked to prehistoric occupations in northern Swedish boreal forest, *Ecology*, in press.

Renberg, I., 1990: A 12 600 year perspective of the acidification of Lilla Öresjön, southwest Sweden, *Philosophical Transactions of the Royal Society of London Series B*, **327**: 357-361

Rosén, P and Persson, P., 2006: Fourier-transform infrared spectroscopy (FITRS), a new method to infer past changes in tree-line position and TOC using lake sediment, *Journal of Paleolimnology*, **35**: 913-923.

Sugita, S., 2007: Theory of quantitative reconstruction of vegetation. II. All you need is LOVE, *The Holocene*, in press.

T. Hoffmann, A. Lang and R. Dikau:

Hoffmann, T., 2006: Modelling the Holocene sediment budget of the Rhine system. PhD thesis, University of Bonn.

Macklin, M. G., Benito, G., Gregory, K. J., Johnstone, E. C., Lewin, J., Michczynska, D. J., Soja, R., Starkel, L., and Thorndycraft, V. R., 2006: Past hydrological events reflected in the Holocene fluvial record of Europe, *Catena*, **66**: 145-154.

Xu, J.X., 1998: Naturally and anthropogenically accelerated sedimentation in the Lower Yellow River, China, over the past 13,000 years, *Geografiska Annaler*, **80**(A): 67-78.

P. J. Hearty:

- Bowen, D.Q., 1999: +23 m Stage 11 sea-level in Southern Britain. In: Poore R.Z., et al., (Eds), *Marine Oxygen Isotope Stage 11 and Associated Terrestrial Records*, U.S. Department of the Interior, U. S. Geological Survey Open File Report #99-312: 15-17.
- Hearty, P.J., and Vacher, H.L., 1994: Quaternary stratigraphy of Bermuda: A high-resolution pre-Sangamonian rock record, *Quaternary Science Reviews*, **13**: 685-697.
- Hearty, P.J., James, H., and Olson, S.L., 2005a: The geological context of paleo-lakes and Pleistocene birds at Ulupau Head, O'ahu, Hawaiian Islands. In: Alcover, J.A. and Bover, P., (Eds), *Insular Vertebrate Evolution: the Palaeontological Approach. Monografies de la Societat d'Història Natural de les Balears*. September 2003, Spain: 113-128,
- Hearty, P.J., and O'Leary, M.J., (in review): Carbonate eolianites, quartz sands, and Quaternary sea-level cycles, Western Australia. In: Precht, W., (Ed), *SEPM Proceedings of 2006 Houston, Texas meeting*.
- Karner, D.B., Marra, F., Florindo, F., and Boschi, E., 2001: Pulsed uplift from terrace elevations in the coast of Rome: evidence for a new phase of volcanic activity? *Earth and Planetary Science Letters*, **188**: 135-148.
- Kaufman, D.S., and Brigham-Grette, J., 1993: Aminostratigraphic correlations an paleotemperature implications, Pliocene-Pleistocene high sea level deposits, northwestern Alaska, *Quaternary Science Reviews*, **12**: 21-33.
- Land, L. S., Mackenzie, F. T., and Gould, S. J., 1967: The Pleistocene history of Bermuda, *Geological Society of America Bulletin*, **78**: 993-1006.
- Lisiecki, L.E., and Raymo, M.E., 2005: A Pliocene-Pleistocene stack of 57 globally distributed benthic $d^{18}\text{O}$ records, *Paleoceanography*, **20**: PA1003, doi:10.1029/2004PA001071.
- McMurtry, G.M., Tappin, D.R., Sedwick, P.N., Wilkinson, I., Fietzke, J., and Sellwood, B., 2007: Elevated marine deposits in Bermuda record a late Quaternary megatsunami, *Sedimentary Geology*, (in press).
- Olson, S.L., Wingate, D.B., Hearty, P.J., and Grady, F.V., 2005: Prodromus of vertebrate paleontology and geochronology of Bermuda. In: Alcover J.A. and Bover, P. (Eds), *Insular Vertebrate Evolution: the Palaeontological Approach. Monografies de la Societat d'Història Natural de les Balears*, **12**: 219-232
- Olson, S.L., Hearty, P.J.; and Pregill, G.K., 2006: Geological constraints on evolution and survival in endemic reptiles on Bermuda, *Journal of Herpetology*, **40**(3): 394-398.
- Vacher, H.L., Rowe, M., and Garrett, P., 1989: *Geologic map of Bermuda*, Oxford Cartographers, UK, 1:25,000 scale.