

Full References

PAGES Newsletter Vol.9, No 1

Recent Progress in Paleoclimate Modeling: Climate Models of Reduced Complexity by Thomas Stocker and Olivier Marchal

- **Bard, E., B. Hamelin, M. Arnold, L. Montaggioni, G. Cabioch, G. Faure & F. Rougerie, 1996:** Deglacial sea-level record from Tahiti corals and the timing of global meltwater discharge. *Nature*, 382, 241-244.
-
- **Boyle, E.A., 1992:** Cadmium and d13C paleochemical ocean distributions during the stage 2 glacial maximum. *Ann. Rev. Earth Planet. Sci.*, 20, 245-287.
- **Dansgaard, W., S.J. Johnsen, H.B. Clausen, D. Dahl-Jensen, N.S. Gundestrup, C.U. Hammer, C.S. Hvidberg, J.P. Steffensen, A.E. Sveinbjörnsdóttir, J. Jouzel & G. Bond, 1993:** Evidence for general instability of past climate from a 250-kyr ice-core record. *Nature*, 364, 218-220.
- **Fanning, A.F. & A.J. Weaver, 1996:** An atmospheric energy-moisture balance model: climatology, interpentadal climate change, and coupling to an ocean general circulation model. *J. Geophys. Res.*, 101, 15111-15128.
- **Fanning, A.F. & A.J. Weaver, 1997:** Temporal-geographical influences on the North Atlantic conveyor: Implications for the Younger Dryas. *Paleoceanogr.*, 12, 307-320.
- **Gallée, H., J.P. Van Ypersele, T. Fichefet, C. Tricot & A. Berger, 1991:** Simulation of the last glacial cycle by a coupled, sectorially averaged climate-ice sheet model. 1. The climate model. *J. Geophys. Res.*, 96, 13139-13161.
- **Ganopolski, A. & S. Rahmstorf, 2001:** Rapid changes of glacial climate simulated in a coupled climate model. *Nature*, 409, 153-158.
- **Ganopolski, A., S. Rahmstorf, V. Petoukhov & M. Claussen, 1998:** Simulation of modern and glacial climates with a coupled global model of intermediate complexity. *Nature*, 391, 351-356.
- **Ghil, M., A. Mulhaupt & P. Pestiaux, 1987:** Deep water formation and Quaternary glaciations. *Clim. Dyn.*, 2, 1-10.
- **Goslar, T., M. Arnold, N. Tisnerat-Laborde, J. Czernik & K. Wieckowski, 2000:** Variations of Younger Dryas atmospheric radiocarbon explicable without ocean circulation changes. *Nature*, 403, 877-880.
- **Hall, A. & R.J. Stouffer, 2001:** An abrupt climate event in a coupled ocean-atmosphere simulation without external forcing. *Nature*, 409, 171-174.
- **Hughen, K.A., J.T. Overpeck, L.C. Peterson & S. Trumbore, 1996:** Rapid climate changes in the tropical Atlantic region during the last deglaciation. *Nature*, 380, 51-54.
- **Hughen, K.A., J.R. Suthon, S.J. Lehman & J.T. Overpeck, 2000:** Synchronous radicarbon and climate shifts during the last deglaciation. *Science*, 290, 1951-1954.
- **Indermühle, A., E. Monnin, B. Stauffer, T.F. Stocker & M. Wahlen, 2000:** Atmospheric CO₂ concentration from 60 to 20 kyr BP from the Taylor Dome ice cores, Antarctica. *Geophys. Res. Lett.*, 27, 735-738.
- **Joos, F., M. Bruno, R. Fink, T.F. Stocker, U. Siegenthaler, C. Le Quéré & J.L. Sarmiento, 1996:** An efficient and accurate representation of complex oceanic and

biospheric models of anthropogenic carbon uptake. Tellus, 48B, 397-417.

- **Manabe, S. & R.J. Stouffer, 1997:** Coupled ocean-atmosphere model response to freshwater input: comparison to Younger Dryas event. Paleoceanogr., 12, 321-336.
- **Marchal, O., R. François, T.F. Stocker & F. Joos, 2000:** Ocean thermohaline circulation and sedimentary $^{231}\text{Pa}/^{230}\text{Th}$ ratio. Paleoceanogr., 15, 625-641.
- **Marchal, O., T.F. Stocker & F. Joos, 1998a:** Impact of oceanic reorganizations on the ocean carbon cycle and atmospheric carbon dioxide content. Paleoceanogr., 13, 225-244.
- **Marchal, O., T.F. Stocker & F. Joos, 1998b:** A latitude-depth, circulation-biogeochemical ocean model for paleoclimate studies. Development and sensitivities. Tellus, 50B, 290-316.
- **Marchal, O., T.F. Stocker, F. Joos, A. Indermühle, T. Blunier & J. Tschumi, 1999:** Modelling the concentration of atmospheric CO₂ during the Younger Dryas climate event. Clim. Dyn., 15, 341-354.
- **Marchal, O., T.F. Stocker & R. Muscheler, 2001:** Atmospheric radiocarbon during the Younger Dryas: Production, ventilation, or both? Earth Plan. Sci. Lett., 185, 383-395,
- **Marotzke, J., P. Welander & J. Willebrand, 1988:** Instability and multiple equilibria in a meridional-plane model of the thermohaline circulation. Tellus, 40A, 162-172.
- **Mikolajewicz, U. & E. Maier-Reimer, 1994:** Mixed boundary conditions in ocean general circulation models and their influence on the stability of the model's conveyor belt. J. Geophys. Res., 99, 22633-22644.Mix, A.C., E. Bard & R.R. Schneider, 2001: Environmental processes of the Ice Age: land, oceans, glaciers (EPILOG). Quat. Sci. Rev., 20, 627-657.
- **Muscheler, R., J. Beer, G. Wagner & F.R. C., 2000:** Changes in deep-water formation during the Younger Dryas event inferred from ¹⁰Be and ¹⁴C records. Nature, 408, 567-570.
- **North, G.R., J.G. Mengel & D.A. Short, 1983:** Simple energy balance model resolving the seasons and the continents: Application to the astronomical theory of the Ice Ages. J. Geophys. Res., 88, 6576-6586.
- **Oeschger, H., J. Beer, U. Siegenthaler, B. Stauffer, W. Dansgaard & C.C. Langway, 1984:** Late glacial climate history from ice cores. In: Climate Processes and Climate Sensitivity (Geophysical Monograph Series) [Hansen, J. E. & T. Takahashi (eds.)]. American Geophysical Union, Washington, 299-306.
- **Opsteegh, J.D., R.J. Haarsma, F.M. Selten & A. Kattenberg, 1998:** ECBILT: A dynamic alternative to mixed boundary conditions in ocean models. Tellus, 50A, 348-367.
- **Paillard, D., 1998:** The timing of Pleistocene glaciations from a simple multiple-state climate model. Nature, 391, 378-381.
- **Peterson, L.C., G.H. Haug, K.A. Hughen & U. Röhl, 2000:** Rapid changes in the hydrologic cycle of the tropical Atlantic during the last glacial. Science, 290, 1947-1951.
- **Petoukhov, V., A. Ganopolski, V. Brovkin, M. Claussen, A. Eliseev, C. Kubatzki & S. Rahmstorf, 2000:** CLIMBER-2: a climate system model of intermediate complexity. Part I: model description and performance for present climate. Clim. Dyn., 16, 1-17.
- **PMIP, 2000:** Paleoclimate Modeling Intercomparison Project (PMIP), Braconnot, P. (ed.), Third PMIP Workshop, Canada, WCRP-111, WMO/TD-1007, 271, pp.
- **Saltzman, B. & K.A. Maasch, 1988:** Carbon cycle instability as a cause of the late Pleistocene ice age oscillations: Modeling the asymmetric response. Glob.

Biogeochem. Cyc., 2, 177-185.

- **Schiller, A., U. Mikolajewicz & R. Voss, 1997:** The stability of the North Atlantic thermohaline circulation in a coupled ocean-atmosphere general circulation model. Clim. Dyn., 13, 325-347.
- **Schmittner, A. & T.F. Stocker, 2001:** A seasonally forced ocean-atmosphere model for paleoclimate studies. J. Clim., 14, in press.
- **Stocker, T.F. & A. Schmittner, 1997:** Influence of CO₂ emission rates on the stability of the thermohaline circulation. Nature, 388, 862-865.
- **Stocker, T.F. & D.G. Wright, 1991a:** Rapid transitions of the ocean's deep circulation induced by changes in surface water fluxes. Nature, 351, 729-732.
- **Stocker, T.F. & D.G. Wright, 1991b:** A zonally averaged model for the thermohaline circulation. Part II: Interocean exchanges in the Pacific-Atlantic basin system. J. Phys. Oceanogr., 21, 1725-1739.
- **Stocker, T.F. & D.G. Wright, 1996:** Rapid changes in ocean circulation and atmospheric radiocarbon. Paleoceanogr., 11, 773-796.
- **Stocker, T.F., D.G. Wright & L.A. Mysak, 1992:** A zonally averaged, coupled ocean-atmosphere model for paleoclimate studies. J. Clim., 5, 773-797.
- **Weaver, A.J., M. Eby, A.F. Fanning & E.C. Wiebe, 1998:** Simulated influence of carbon dioxide, orbital forcing and ice sheets on the climate of the Last Glacial Maximum. Nature, 394, 847-853.
- **Wright, D.G. & T.F. Stocker, 1991:** A zonally averaged ocean model for the thermohaline circulation, Part I: Model development and flow dynamics. J. Phys. Oceanogr., 21, 1713-1724.
- **Yu, E.-F., R. François & M.P. Bacon, 1996:** Similar rates of modern and last-glacial ocean thermohaline circulation inferred from radiochemical data. Nature, 379, 689-694.