

## Full References

### PAGES Newsletter Vol.9, No 2

---

Below you can find the full references of the following articles:

- [An 8000 Year Multi-proxy Record from Lake Issyk-Kul, Kyrgyzstan](#)
  - [An 8000-Year Record of Typhoons in the Northern South China Sea](#)
  - [The Chinese Maar Drilling Programme A Chinese-German Cooperation for Paleoclimatic Reconstruction](#)
  - [Pollen Records of the Last Glacial Cycle in the Southern Hemisphere Tropics of the PEP II Transect](#)
  - [Last Asian Monsoon Signals Recorded in the Japan Sea Sediments](#)
- 

An 8000 Year Multi-proxy Record from Lake Issyk-Kul, Kyrgyzstan **K.A. Rasmussen, R.D. Ricketts, T.C. Johnson, V.V. Romanovsky, O.M. Grigina**

- **Aizen, V. B., Aizen, E. M., and Melack, J. M.**, 1995. Climate, snow cover, glaciers, and runoff in the Tien Shan, Central Asia. Water Resource. Bull., vol. 31, no. 6, 1113-1129.
- **Alekin, O. A.**, 1946. Physico-chemical peculiarities of the water of Issyk-Kul Lake. Moscow: Hydrometeorological Publishing House. (in Russian)
- **Aleshinskaya, Z. V., Bondarev, L. G., Voskoresenskaya, T. N., and Leflat, O. N.**, 1971. Cross-section of the newest deposits in Issyk-Kul hollow. Moscow: MGU. (in Russian)
- **Bukin, V. M.**, 1975. Morphology and relief of the bottom of Issyk-Kul lake. Frunze Ilim. 25 pp. (summary of Ph.D. dissertation in Russian)
- **Gasse, F., Fontes, J. Ch., Van Campo, E., and Wei, K.**, 1996. Holocene environmental changes in Lake Bangong basin. Part 4: Discussions and conclusions. Palaeogeogr. Palaeoclimatol. Palaeoecol., 120, 79-92.
- **Kelts, K.**, 1997, A global comparison of late Quaternary core stratigraphy of large saline lakes, GSA Abstracts with Programs, Annual meeting, Salt Lake City, UT, Oct. 20-23, p. 252.
- **Klerkx, J., Abdurachmatov, K., Buslov, M., De Batist, M., Vermeesch, P., Imbo, Y., Hus, R., Delvaux, D.**, 1999. Active deformation in the Issyk-Kul Basin (Kyrgyz Tien-Shan): from pull-apart to transpressional basin. Abstracts with Programs, Lennou, the Second International Limno-Geological Congress, Brest, France, May 1999, pg. T36.
- **Korjenkov A. M.**, 1988. Main peculiarities of neotectonic structural forms of Northern-Eastern Tien Shan. Frunze, Kirghizia. 22 pp. (summary of Ph.D. Dissertation in Russian)
- **Korolyov V. G.**, 1956. About posthumous character of some Meso-Cenozoic

depressions of Northern Tien Shan. - Transactions of the Geologic Institute of Academy of Science, Kirghizia S.S.R. Issue 7: 87-94. (in Russian)

- **Korotaev, V. N.**, 1967. Coastal zone of Issyk-Kul. Frunze Ilim. 153 pp. (in Russian)
- **Ligner, V., Beck, C., Giralt, S., Kalugin, I., Klerkx, J., Pourchet, M., and Thouveny, N.**, 1999. Possible sedimentary imprint of strong seismo-tectonic activity in Issyk-Kul Lake (Kirghyzstan, Tien Shan): Preliminary data from a coring campaign. Abstracts with Programs, Lennou, the Second International Limno-Geological Congress, Brest, France, May 1999, pg. T43.
- **Lister, G. S., Kelts, K., Zao, C. K., Yu, J., and Niessen, F.**, 1991. Lake Qinghai, China: closed-basin lake levels and the oxygen isotope record for ostracoda since the latest Pleistocene. *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 84, 141-162.
- **Rasmussen, K. A. and Romanovsky, V.V.**, 1995. Late Holocene climate change and lake-level oscillation: Issyk-Kul, Kyrgyzstan, Central Asia. Abstracts with Programs, 1st SEPM Congress on Sedimentary Geology, St. Petersburg, FL, August 1995, Vol. 1, pg. 103.
- **Rasmussen, K.A., Ricketts, R.D., Johnson, T.C., Romanovsky, V.V., and Grigina, O.M.**, in prep. An 11,000-year History of Central Asian Paleoclimate Change Recorded in Deep Sediments of Lake Issyk-Kul, Kyrgyzstan.
- **Rasmussen, K.A., Ricketts, R.D., Johnson, T.C., Romanovsky, V.V., and Grigina, O.M.**, 2000. An 11,000-year History of Central Asian Paleoclimate Change Recorded in Deep Sediments of Lake Issyk-Kul, Kyrgyzstan. Abstracts of the American Geophysical Union Fall Meeting, San Francisco, CA, December 15-19, Vol. 81, pg. F657.
- **Rasmussen, K. A., Romanovsky, V.V., Macintyre, I. G., and Prufert, L.**, 1996. Late Quaternary coastal microbialites and beachrocks of Lake Issyk-Kul, Kyrgyzstan: Geologic, hydrographic, and climatic significance. GSA Abstracts with Programs, Annual Meeting, Denver, CO, October 28-31, pg. A-304.
- **Rhodes, T. E., Gasse, F., Ruifen, L., Fontes, J. C., Keqin, W., Bertrand, P., Gilbert, E., Mélières, F., Tucholka, P., Zhixiang, W., and Zhi-Yuan, C.**, 1996. A Late Pleistocene-Holocene lacustrine record from Lake Manas, Zunggar (northern Xinjiang, western China). *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 120, 105-121.
- **Ricketts, R. D., Johnson, T. J., Brown, E. T., Rasmussen, K. A., and Romanovsky, V. V.**, in review. The Holocene Paleolimnology of Lake Issyk Kul, Kyrgyzstan: Trace Element and Stable Isotope Composition of Ostracodes. Palaeogeography, Palaeoclimatology, Palaeoecology.
- **Romanovsky, V. V.**, 1990. The Natural Complex of Lake Issyk-Kul. Academy Nauk Kyrgyzstan. Frunze Ilim. 168 pp. (in Russian)
- **Schnitnikov, A. V.**, 1980. Issyk-Kul: The Tien-Shan Lakes and their History. Leningrad Science, p. 5-66. (in Russian)
- **Semenov, P. V.**, 1858. Erforschungsreisen in Inner-Asien im Jahre, 1857. Pet. Mitt. 1858, 351-369. (in German)
- **Sebastianov, D. V., Mamedov, E. D., and Rumiantsev, V. A.**, 1991. History of Lakes Sevan, Issyk-Kul, Balkash, Zaisan and Aral. Leningrad: Nauka. Series on History of Lakes of the USSR. (in Russian)
- **Street, F.A.**, 1980. The relative importance of climate and local hydrogeological factors in influencing lake-level fluctuations, *Palaeoecology of Africa*, 12, 137-

- **Trofimov, A. K.**, 1978. Bottom relief of Issyk-Kul: Geological basis of seismic division of the Issyk-Kul hollow. Frunze Ilim. pg. 57-66. (in Russian)
- **Trofimov A. K.**, 1994, Paleotectonics of Cenozoic and neotectonic geodynamics of Issyk-Kul lake basin. In: (Ed. O.K. Chedia) Tien Shan in stage of neotectonic mountaining. Bishkek: Ilim Publishers, pg. 104-118. (in Russian)
- **Trofimov, A. K., and Grigina, O. M.**, 1979. The paleogeography of Issyk-Kul lake. In: O. K. Chedia, ed., Near-Coastal Zones of Issyk-Kul Lake. Frunze Ilim Publishers, pg. 94-103. (in Russian)

An 8000-Year Record of Typhoons in the Northern South China Sea **Guangqing Huang and Wyss W.-S. Yim**

- **Huang, G.** 1996. Neolithic culture and palaeogeographic environment in the Pearl River Delta. *Acta Geographica Sinica* 51: 508-517 (in Chinese with English abstract).
- **Huang, G.** 2000. Holocene Record of Storms in Sediments of the Pearl River Estuary and Vicinity. Ph.D. thesis, The University of Hong Kong, Hong Kong.
- **Huang, G., Yim, W.W.-S.** 1997a. Storm sedimentation in the Pearl River Estuary, China. In: Jablonski, N.G. (Ed.). *The Changing Face of East Asia During the Tertiary and Quaternary*. Centre of Asian Studies, The University of Hong Kong, Hong Kong, pp. 156-177.
- **Huang, G., Yim, W.W.-S.** 1997b. Role of storms in Holocene inner shelf sediments of Hong Kong. *Quaternary Sciences* 1997/4: 310-318 (in Chinese with English abstract).
- **Huang, G., Yim, W.W.-S.** 1998. Holocene foraminiferal distribution in the Pearl River Estuary and vicinity. In: Morton, B. (Ed.). *The Marine Biology of the South China Sea. Proceedings 3rd International Conference on the Marine Biology of the South China Sea*, Hong Kong, 28 October – 1st November 1996, Hong Kong University Press, Hong Kong, pp. 331-341.
- **Li, P., Qiao, P., Zheng, H., Fang, G. and Huang G.**, 1991. *The Environmental Evolution of the Pearl River Delta in the Last 10,000 Years*. China Ocean Press, Beijing, 154p. (in Chinese).
- **Yim, W.W.-S.** 1986. Radiocarbon dates from Hong Kong and their geological implication. *J. Hong Kong Archaeo. Soc.* 11: 50-63.
- **Yim, W. W.-S.** 1999. Radiocarbon dating and the reconstruction of the late Quaternary sea-level changes in Hong Kong. *Quat. Int.* 55: 77-91.

The Chinese Maar Drilling Programme A Chinese-German Cooperation for  
Paleoclimatic Reconstruction **Liu Jiaqui, Liu Tungsheng, Jörg F.W. Negendank**

- **Allen, J. R. M., Brandt, U., Brauer, A., Hubberten, H.-W., Huntley, B., Keller, J., Kraml, M., Mackensen, A., Mingram, J., Negendank, J. F. W., Nowaczyk, N. R., Oberhänsli, H., Watts, W. A., Wulf, S. & Zolitschka, B.** (1999): Rapid environmental changes in southern Europe during the last glacial period. *Nature* 400, 740 – 743.
- **Ben-Avraham, Z., Nieme, T. M., Heim, C., Negendank, J. F. W. & Nur, A.** (1999): Holocene stratigraphy of the Dead Sea: Correlation of high-resolution seismic reflection profiles to sediment cores. *Journal of Geophysical Research* 104 (B8), 17,617 – 17,625.
- **Brauer, A., Mingram, J., Frank, U., Günter, C., Schettler, G., Wulf, S., Zolitschka, B. & Negendank, J. F. W.** (2000): Abrupt environmental oscillations during the Early Weichselian recorded at Lago Grande di Monticchio, Southern Italy. *Quaternary International* 73/74, 79 – 90.
- **Heim, C., Leroy, S. A. G., Ben-Avraham, Z., Nowaczyk, N. R. & Negendank, J. F. W.** (1997): Near East desertification – Evidence from the Dead Sea. *Naturwissenschaften* 84, 398 – 401.
- **Ken-Tor, R., Agnon, A., Enzel, Y. & Stein, M.** (2001): High-resolution geological record of historic earthquakes in the Dead Sea basin. *Journal of Geophysical Research* 106 (B2), 2221 – 2234.
- **Liu, J., Negendank, J. F. W., Wang, W., Guo, Z., Mingram, J., Chu, G., Chen, R., Luo, X. & Liu, T.** (2000): Geological characteristics and distribution of maar lakes in China. *Terra Nostra* 2000/6, 264 – 273.
- **Mingram, J., Nowaczyk, N. R., Schettler, G., Luo, X., Lu, H., Liu, J. & Negendank, J. F. W.** (2000): A 78,000 year record of climatic changes from the South China coast – the Huguang maar lake (Huguangyan). *Terra Nostra* 2001/3, 148 – 155.
- **Mingram, J., Schettler, G., Allen, J. R. M., Brüchmann, C., Luo, X., Liu, J. & Negendank, J. F. W.** (2000): The Eifel of N.E.-China – maar and crater lakes of the Long Gang Volcanic Field. *Terra Nostra* 2000/6, 353 – 363.
- **Negendank & Zolitschka** (Eds, 1993): Paleolimnology of European Maar Lakes. Lecture Notes in Earth Sciences 49, Springer-Verlag, 513 pages.
- **Nowaczyk, N. R., Yancheva, G., Mingram, J., Schettler, G., Negendank, J. F. W. & Liu, J.** (2000): Geomagnetic, paleoclimatic and limnological implications derived from magnetostratigraphic investigations of 7 sediment cores from Huguang Maar, SE China. *Terra Nostra* 2000/6, 391 – 395.
- **Schettler, G., Mingram, J., Negendank, J. F. W. & Liu, J.** (2001, submitted): A 200 years record of atmospheric lead-210 flux variations for north-eastern China (LongGang volcanic field, Jilin province).
- **Thompson, L. G., Yao, T., Davis, M. E., Henderson, K. A., Mosley-Thompson, E., Lin, P.-N., Beer, J., Synal, H.-A., Cole-Dai, J., Bolzan, J. F.** (1997). Tropical Climate Instability: The Last Glacial Cycle from a Quinghai-Tibetan Ice Core. *Science* 276, 1,821.
- **Wang, L., Sarnthein, M., Erlenkeuser, H., Grimalt, J., Grootes, P., Heilig, S., Ivanova, E., Kienast, M., Pelejero, C., Pflaumann, U.** (1999). East Asian

monsoon climate during the Late Pleistocene: high-resolution sediment records from the South China Sea. *Marine Geology* 1999, 245 - 284.

- **Zolitschka, B., Brauer, A., Negendank, J. F. W., Stockhausen, H. & Lang, A.** (2000): Annually dated late Weichselian continental paleoclimate record from the Eifel, Germany. *Geology* 28 (9), 783 – 786.

Pollen Records of the Last Glacial Cycle in the Southern Hemisphere Tropics of the PEP II Transect **Sander van der Kaars, Peter Kershaw, Nigel Tapper, Patrick Moss, Chris Turney**

- **Moss, P.T. and Kershaw, A.P.**(2000). The last glacial cycle from the humid tropics of northeastern Australia: comparison of a terrestrial and a marine record. *Palaeogeography, Palaeoclimatology, Palaeoecology* 155:155-176.
- **Turney, C.S.M., Bird, M.I., Fifield, L.K., Kershaw, A.P., Cresswell, R.G., Santos, G.M., Di Tada, M.L., Hausladen and Youping, Z.** (in press). Development of a robust 14C chronology for Lynch's Crater (north Queensland, Australia) using different pretreatment strategies. *Radiocarbon*.
- **van der Kaars, W.A., and Dam, M.A.C.**, (1995). A 135,000-year record of vegetational and climatic change from the Bandung area, West-Java, Indonesia. *Palaeogeography, Palaeoclimatology, Palaeoecology* 117: 55-72.
- **van der Kaars, S., Wang, X., Kershaw, A.P., Guichard, F. and Setiabudi, D.A.** (2000) A late Quaternary palaeoecological record from the Banda Sea, Indonesia: patterns of vegetation, climate and biomass burning in Indonesia and northern Australia. *Palaeogeography, Palaeoclimatology, Palaeoecology* 155: 135-153.

Last Asian Monsoon Signals Recorded in the Japan Sea Sediments **Tomohisa Irino, Ken Ikebara, Hajime Katayama, Yugo Ono, Ryuji Tada**

- **An, Z.**, Quaternary Science Reviews 19, 171-187, 2000.
- **Dansgaard, W. et al.**, Nature 364, 218-220, 1993.
- **Fang,X.M. et al.**,Earth and Planetary Science Letters,168,219-232,1999.
- **Ikehara, K. et al.**, Proc. 29th IGC, Part B, VSP, 229-235, 1994.
- **Irino, T. and Tada, R.**, Geochemical Journal 34, 59-93, 2000.
- **Ono,Y et al.**, Global and Planetary Changes,18,129-135.1998.
- **Porter, S. C. and An, Z.**, Nature 375, 305-308, 1995.
- **Tada, R. et al.**, Proc. ODP Scientific Results, 127/128, 577-522, 1992.
- **Tada, R. et al.**, Paleoceanography 14, 236-247, 1999.