

Additional References:

PAGES Newsletter 2006/3 "14C-Chronology"

There are references for the following articles:

- [K.Hughen](#)
- [Hajdas et al](#)
- [Grootes and Sarnthein](#)
- [Koch and Clague](#)
- [Reimer et al](#)

K.Hughen:

Adkins, J.F., McIntyre, K., Schrag, D.P., 2002. The salinity, temperature, and $d^{18}O$ of the glacial deep ocean. *Science* **298**, 1769-1773.

Bard, E., Guillemette, M.-C., Frauke, R., 2004. Present status of radiocarbon calibration and comparison records based on Polynesian corals and Iberian margin sediments. *Radiocarbon* **46**, 1189-1201.

Cutler, K.B., Gray S.C., Burr, G.S., Edwards, R.L., Taylor, F.W., Cabioch, G., Beck, J.W., Cheng, H., Moore, J., 2004. Radiocarbon calibration and comparison to 50 kyr BP with paired ^{14}C and ^{230}Th dating of corals from Vanuatu and Papua New Guinea. *Radiocarbon* **46**, 1127-1160.

Fairbanks, R.G., Mortlock, R.A., Chiu, T.-C., Cao, L., Kaplan, A., Guilderson, T.P., Fairbanks, T.W., Bloom, A., Grootes, P.M., Nadeau, M.-J., 2005. Radiocarbon calibration curve spanning 0 to 50,000 years BP based on paired $^{230}Th/^{234}U/^{238}U$ and ^{14}C dates on pristine corals. *Quaternary Science Reviews* **24**, 1781-1796.

Hughen, K.A., Lehman, S.J. Southon, J., Overpeck, J.T.,

Marchal, O., Herring, C. and Turnbull, J., 2004. ^{14}C Activity and Global Carbon Cycle Changes Over the Past 50,000 years, *Science* **303**, 202-207.

Hajdas et al.:

Denton, G.H. and Hendy, C.H., 1994: Younger Dryas Age Advance of Franz-Josef Glacier in the Southern Alps of New-Zealand. *Science*, **264**: 1434-1437.

Hajdas, I., Ivy, S.D., Beer, J., Bonani, G., Imboden, D., Lotter, A.F., Sturm, M. and Suter, M., 1993: AMS Radiocarbon Dating and Varve Chronology of Lake Soppensee - 6000 to 12000 C-14 Years BP. *Climate Dynamics*, **9**: 107-116.

Hajdas, I., Zolitschka, B., Ivy Ochs, S.D., Beer, J., Bonani, G., Leroy, S.A.G., Negendank, J.W., Ramrath, M. and Suter, M., 1995: AMS Radiocarbon Dating of Annually Laminated Sediments from Lake Holzmaar, Germany. *Quaternary Science Reviews*, **14**: 137-143.

Hajdas, I., Bonani, G., Boden, P., Peteet, D.M. and Mann, D.H., 1998: Cold reversal on Kodiak Island, Alaska, correlated with the European Younger Dryas by using variations of atmospheric C-14 content. *Geology*, **26**: 1047-1050.

Hajdas, I., Bonani, G., Moreno, P.I. and Ariztegui, D., 2003: Precise radiocarbon dating of late-glacial cooling in mid-latitude South America. *Quaternary Research*, **59**: 70-78.

Hajdas, I., Bonani, G., Slusarenko, I.Y. and Seifert, M., 2004. Chronology of Pazyryk 2 and Ulandryk 4 Kurgans based on high resolution radiocarbon dating and dendrochronology - a step towards precise dating of Scythian Burials. In: E.M. Scott (Editor), *Impact of the Environment on the Human Migration in Eurasia*. Kluwer Academic Publishers.

Kilian, M.R., van Geel, B. and van der Plicht, J., 2000: C-14 AMS wiggle matching of raised bog deposits and models of peat accumulation. *Quaternary Science Reviews*, **19**: 1011-1033.

Reimer, P.J., Baillie, M.G.L., Bard, E., Bayliss, A., Beck, J.W., Bertrand, C.J.H., Blackwell, P.G. and Buck, C.E., 2004: IntCal04 Terrestrial Radiocarbon Age Calibration, 0-26 Cal Kyr BP. *Radiocarbon*, **46**: 1029-1058.

Stuiver, M., Reimer, P.J., Bard, E., Beck, J.W., Burr, G.S., Hughen, K.A., Kromer, B., McCormac, G., van der Plicht, J. and Spurk, M., 1998: INTCAL98 radiocarbon age calibration, 24,000-0 cal BP. *Radiocarbon*, **40**: 1041-1083.

Grootes and Sarnthein:

Beck J.W. et al., 2001: Extremely large variations of atmospheric ^{14}C concentrations during the last glacial period, *Science*, **292**: 2453-2458.

Hughen, K., Lehman, S., Southon, J., Overpeck, J., Marchal, O., Herring, C. and Turnbull, J., 2004a: ^{14}C activity and global carbon cycle changes over the past 50,000 years, *Science*, **303**: 202-207.

Hughen, K.A. et al., 2004b: Marine04 marine radiocarbon age calibration, 0-26 cal kyr BP, *Radiocarbon* **46**: 1059-1086.

Köhler, P., Fischer, H., Munhoven, G. and Zeebe, R.E., 2005: Quantitative interpretation of atmospheric carbon records over the last glacial termination, *Global Biogeochemical Cycles*, **19**: GB4020, doi: 10.1029/2004GB002345.

Kromer, B. et al., 2004: Late glacial ^{14}C ages from a floating, 1382-ring pine chronology. *Radiocarbon*, **46**: 1203-1209.

Reimer, P. et al., 2004: INTCAL04 terrestrial radiocarbon age calibration, 0-26 cal kyr BP, *Radiocarbon*, **46**: 1029-1058.

Voelker, A.H.L., Grootes, P.M., Nadeau, M.-J. and Sarnthein, M., 2000: Radiocarbon levels in the Iceland Sea from 25-53 kyr and their link to the earth's magnetic field intensity, *Radiocarbon*, **42**: 437-452.

Wang Y.J., Cheng, H., Edwards, R.L., An, Z.S., Wu, J.Y., Shen, C.-C. and Doralee, J.A., 2001: High-resolution absolute-dated late Pleistocene monsoon record from Hulu Cave, China, *Science*, **294**: 2345-2348.

Koch and Clague:

Bakke, J., Lie, O., Nesje, A., Dahl, S.O., and Paasche, O., 2005: Utilizing physical sediment variability in glacier-fed lakes for continuous glacier reconstructions during the Holocene, northern Folgefonna, western Norway. *The Holocene*, **15**: 161-176.

Bond, G., Kromer, B., Beer, J., Muscheler, R., Evans, M.N., Showers, W., Hoffmann, S., Lotti-Bond, R., Hajdas, I., and Bonani, G., 2001: Persistent solar influence on North Atlantic climate during the Holocene. *Science*, **294**: 2130-2136.

Calkin, P.E., 1988: Holocene glaciation of Alaska (and adjoining Yukon Territory, Canada). *Quaternary Science Reviews*, **7**: 159-184.

Calkin, P.E., Wiles, G.C., and Barclay, D.J., 2001: Holocene coastal glaciation of Alaska. *Quaternary Science Reviews*, **20**: 449-461.

Clapperton, C.M., and Sugden, D.E., 1988: Holocene glacier fluctuations in South America and Antarctica. *Quaternary*

Science Reviews, **7**: 185-198.

Davis, P.T., 1988: Holocene glacier fluctuations in the American cordillera. *Quaternary Science Reviews*, **7**: 129-158.

Denton, G.H., and Porter, S.C., 1970: Neoglaciation. *Scientific American*, **222**: 100-110.

Douglass, D.C., Singer, B.S., Kaplan, M.R., Ackert, R.P., Mickelson, D.M., and Caffee, M.W., 2005: Evidence of early Holocene glacial advances in southern South America from cosmogenic surface-exposure dating. *Geology*, **33**: 237-240

Gellatly, A.F., Chinn, T.J.H., and Röthlisberger, F., 1988: Holocene glacier variations in New Zealand: a review. *Quaternary Science Reviews*, **7**: 227-242.

Glasser, N.F., Harrison, S., Winchester, V., and Aniya, M., 2004: Late Pleistocene and Holocene palaeoclimate and glacier fluctuations in Patagonia. *Global and Planetary Change*, **43**: 79-101.

Harper, J.T., 1993: Glacier terminus fluctuations on Mount Baker, Washington, U.S.A., 1940-1990, and climatic variations. *Arctic and Alpine Research*, **25**: 332-340.

Holzhauser, H., Magny, M., and Zumbühl, H.J., 2005: Glacier and lake-level variations in west-central Europe over the last 3500 years. *The Holocene*, **15**: 789-801.

Hormes, A., Müller, B.U., and Schlüchter, C., 2001: The Alps with little ice: evidence for eight Holocene phases of reduced glacier extent in the Central Swiss Alps. *The Holocene*, **11**: 255-265.

Jackson, M.G., Oskarsson, N., Trønnes, R.G., McManus, J.F., Oppo, D.W., Grönvold, K., Hart, S.R., and Sachs, J.P., 2005: Holocene loess deposition in Iceland: evidence for millennial-

scale atmosphere-ocean coupling in the North Atlantic. *Geology*, **33**: 509-512.

Joerin, U.E., Stocker, T.F., and Schlüchter, C., 2006: Multicentury glacier fluctuations in the Swiss Alps during the Alps. *The Holocene*, **16**: 697-704.

Karlén, W., 1988: Scandinavian glacial and climate fluctuations during the Holocene. *Quaternary Science Reviews*, **7**: 199-209.

Koch, J., and Kilian, R., 2005: Little Ice Age glacier fluctuations at Gran Campo Nevado, southernmost Chile. *The Holocene*, **15**: 20-28.

Koch, J., Menounos, B.P., Clague, J.J., and Osborn, G.D., 2004: Environmental change in Garibaldi Provincial Park, southern Coast Mountains, British Columbia. *Geoscience Canada*, **31**: 127-135.

Koch, J., Osborn, G., and Clague, J.J., in press. Pre-Little Ice Age glacier fluctuations in Garibaldi Provincial Park, southern Coast Mountains, British Columbia. *The Holocene*.

Larocque, S.J., and Smith, D.J., 2003: Little Ice Age glacial activity in the Mt. Waddington area, British Columbia Coast Mountains, Canada. *Canadian Journal of Earth Sciences*, **40**: 1413-1436.

Lawrence, D.B., 1950: Glacier fluctuations for six centuries in southeastern Alaska and its relation to solar activity. *Geographical Review*, **40**: 191-222.

Lewis, D.H., and Smith, D.J., 2004: Little Ice Age glacial activity in Strathcona Provincial Park, Vancouver Island, British Columbia, Canada. *Canadian Journal of Earth Sciences*, **41**: 285-297.

Luckman, B.H., 1977: Lichenometric dating of Holocene

moraines at Mount Edith Cavell, Jasper, Alberta. *Canadian Journal of Earth Sciences*, **14**: 1809-1822.

Luckman, B.H., 1995: Calendar-dated, early 'Little Ice Age' glacier advance at Robson Glacier, British Columbia, Canada. *The Holocene*, **5**: 149-159.

Luckman, B.H., 1996: Dendroglaciology at Peyto Glacier, Alberta, Canada. In: Dean, J.S., Meko, D.M., and Swetnam, T.W. (Eds). *Tree Rings, Environment and Humanity, Radiocarbon*, 679-688.

Luckman, B.H., 2000: Little Ice Age in the Canadian Rockies. *Geomorphology*, **32**: 357-384.

Luckman, B.H., and Wilson, R.J.S., 2005: Summer temperatures in the Canadian Rockies during the last millennium: a revised record. *Climate Dynamics*, **24**: 131-144.

Luckman, B.H., Holdsworth, G., and Osborn, G.D., 1993: Neoglacial glacier fluctuations in the Canadian Rockies. *Quaternary Research*, **39**: 144-153.

Masson, V., Vimeux, F., Jouzel, J., Morgan, V., Delmotte, M., Ciais, P., Hammer, C., Johnsen, S., Lipenkov, V.Y., Mosley-Thompson, E., Petit, J.-R., Steig, E.J., Stievenard, M., and Vaikmae, R., 2000: Holocene climate variability in Antarctica based on 11 ice-core isotopic records. *Quaternary Research*, **54**: 348-358.

Nicolussi, K., and Patzelt, G., 2000: Untersuchungen zur holozänen Gletscherentwicklung von Pasterze und Gepatschferner (Ostalpen). *Zeitschrift für Gletscherkunde und Glazialgeologie*, **36**: 1-87.

Osborn, G.D., Robinson, B.J., and Luckman, B.H., 2001. Holocene and latest Pleistocene fluctuations of Stutfield Glacier, Canadian Rockies. *Canadian Journal of Earth Sciences*, **38**:

1141-1155.

Osborn, G.D., Menounos, B.P., Koch, J., Clague, J.J., and Vallis, V., in press: Multi-proxy record of Holocene glacial history: Spearhead and Fitzsimmons Ranges, southern Coast Mountains, British Columbia. *Quaternary Science Reviews*.

Porter, S.C., 1986: Pattern and forcing of Northern Hemisphere glacier variations during the last millennium. *Quaternary Research*, **26**: 27-48.

Porter, S.C., 2000: Onset of Neoglaciation in the Southern Hemisphere. *Journal of Quaternary Science*, **15**: 395-408.

Reyes, A.V., and Clague, J.J., 2004: Stratigraphic evidence for multiple Holocene advances of Lillooet Glacier, southern Coast Mountains, British Columbia. *Canadian Journal of Earth Sciences*, **41**: 903-918.

Röthlisberger, F., 1986: 10 000 Jahre Gletschergeschichte der Erde. Verlag Sauerländer, Aarau.

Shakesby, R.A., Matthews, J.A., and Winkler, S., 2004: Glacier variations in Breheimen, southern Norway: relative-age dating of Holocene moraine complexes at six high-altitude glaciers. *The Holocene*, **14**: 899-910.

Smith, D.J., and Desloges, J.R., 2000: Little Ice Age history of Tzeetsaytsul Glacier, Tweedsmuir Provincial Park, British Columbia. *Géographie physique et Quaternaire*, **54**: 131-137.

Warren, C., and Aniya, M., 1999: The calving glaciers of southern South America. *Global and Planetary Change*, **22**: 59-77.

Wenzens, G., 1999: Fluctuations of outlet and valley glaciers in the southern Andes (Argentina) during the past 13,000 years. *Quaternary Research*, **51**: 238-247.

Wiles, G.C., Jacoby, G.C., Davi, N.K., and McAllister, R.P., 2002: Late Holocene glacier fluctuations in the Wrangell Mountains, Alaska. *Geological Society of America Bulletin*, **114**: 896-908.

Wiles, G.C., D'Arrigo, R.D., Villalba, R., Calkin, P.E., and Barclay, D.J., 2004: Century-scale solar variability and Alaskan temperature change over the past millennium. *Geophysical Research Letters*, **31**: L15203.

Willard, D.A., Bernhardt, C.E., Korejwo, D.A., and Meyers, S.R., 2005: Impact of millennial-scale Holocene climate variability on eastern North American terrestrial ecosystems: pollen-based climatic reconstruction. *Global and Planetary Change*, **47**: 17-35.

Winkler, S., 2003: A new interpretation of the date of the 'Little Ice Age' glacier maximum at Svartisen and Okstinaden, northern Norway. *The Holocene*, **13**: 83-95.

Winkler, S., 2004: Lichenometric dating of the Little Ice Age maximum in Mt Cook National Park, southern Alps, New Zealand. *The Holocene*, **14**: 911-920.

Winkler, S., Matthews, J.A., Shakesby, R.A., and Dresser, P.Q., 2003: Glacier variations in Breheimen, southern Norway: Dating Little Ice Age moraine sequences at seven low-altitude glaciers. *Journal of Quaternary Science*, **18**: 395-413.

Reimer et al

Balter, M., 2006: Geochemistry - Radiocarbon dating's final frontier. *Science*, 313(5793): 1560-1563.

Bard, E., Menot-Combes, G. and Rostek, F., 2004: Present status of radiocarbon calibration and comparison records based

on Polynesian corals and Iberian Margin sediments. *Radiocarbon*, 46(3): 1189-1202.

Bjorck, S., Koc, N. and Skog, G., 2003: Consistently large marine reservoir ages in the Norwegian Sea during the Last Deglaciation. *Quaternary Science Reviews*, 22(5-7): 429-435.

Bronk Ramsey, C., Manning, S.W., Reimer, P.J. and van der Plicht, H., in press: Developments in radiocarbon calibration for archaeology. *Antiquity*.

Buck, C.E. and Blackwell, P.G., 2004: Formal statistical models for estimating radiocarbon calibration curves. *Radiocarbon*, 46(3): 1093-1102.

Butzin, M., Prange, M. and Lohmann, G., 2005: Radiocarbon simulations for the glacial ocean: The effects of wind stress, Southern Ocean sea ice and Heinrich events. *Earth And Planetary Science Letters*, 235(1-2): 45-61.

Cutler, K.B. et al., 2004: Radiocarbon calibration to 50 kyr BP with paired ^{14}C and ^{230}Th dating of corals from Vanuatu and Papua New Guinea. *Radiocarbon*, 46(3): 1127-1160.

Doney, S.C. et al., 2004: Evaluating global ocean carbon models: The importance of realistic physics. *Global Biogeochemical Cycles*, 18(3).

Fairbanks, R.G. et al., 2005: Radiocarbon Calibration Curve Spanning 0 to 50,000 Years B.P. Based on Paired $^{230}\text{Th}/^{234}\text{U}/^{238}\text{U}$ and ^{14}C Dates on Pristine Corals. *Quaternary Science Reviews*, 24(16-17): 1781-1796.

Guilderson, T.P., Caldeira, K. and Duffy, P.B., 2000: Radiocarbon as a diagnostic tracer in ocean and carbon cycle modeling. *Global Biogeochemical Cycles*, 14(3): 887-902.

Hughen, K., Southon, J., Lehman, S., Bertrand, C. and Turnbull,

J., 2006: Marine-derived ^{14}C calibration and activity record for the past 50,000 years updated from the Cariaco Basin. *Quaternary Science Reviews*, (in press).

Hughen, K.A. et al., 2004a: Marine04 marine radiocarbon age calibration, 0-26 cal kyr BP. *Radiocarbon*, 46(3): 1059-1086.

Hughen, K.A., Southon, J.R., Bertrand, C.J.H., Frantz, B. and Zermeno, P., 2004b: Cariaco basin calibration update: Revisions to calendar and C-14 chronologies for core PL07-58PC. *Radiocarbon*, 46(3): 1161-1187.

Jöris, O. and Weninger, B., 2000: ^{14}C -Alterskalibrationen und die absolute Chronologie des Spätglazials. *Archäologisches Korrespondenzblatt*, 30: 461-471.

Kitagawa, H. and van der Plicht, J., 2000: Atmospheric radiocarbon calibration beyond 11,900 cal BP from Lake Suigetsu laminated sediments. *Radiocarbon*, 42(3): 369-380.

Kromer, B. et al., 2004: Late Glacial ^{14}C ages from a floating 1382-ring pine chronology. *Radiocarbon*, 46(3): 1203-1209.

Matsumoto, K. et al., 2004: Evaluation of ocean carbon cycle models with data-based metrics. *Geophysical Research Letters*, 31(7).

McCormac, F.G. et al., 2004: SHCal04 Southern Hemisphere calibration, 0-11.0 cal kyr BP. *Radiocarbon*, 46(3): 1087-1092.

Mellars, P., 2006: Archaeology: Progress and pitfalls in radiocarbon dating - Reply. *Nature*, 443(7108): E4-E4.

Reimer, P.J. et al., 2004: IntCal04 terrestrial radiocarbon age calibration, 0-26 cal kyr BP. *Radiocarbon*, 46(3): 1029-1058.

Reimer, P.J. et al., 2002: Preliminary report of the first workshop of the IntCal04 radiocarbon calibration/comparison working group. *Radiocarbon*, 44(3): 653-661.

Stuiver, M. and Braziunas, T.F., 1993: Modeling Atmospheric C-14 Influences and C-14 Ages of Marine Samples to 10,000 Bc. *Radiocarbon*, 35(1): 137-189.

Stuiver, M. and Pearson, G.W., 1986: High-Precision Calibration of the Radiocarbon Time Scale, Ad 1950-500 Bc. *Radiocarbon*, 28(2B): 805-838.

Stuiver, M. and Reimer, P.J., 1993: Extended C-14 Data-Base and Revised Calib 3.0 C-14 Age Calibration Program. *Radiocarbon*, 35(1): 215-230.

Stuiver, M. et al., 1998a: INTCAL98 radiocarbon age calibration, 24,000-0 cal BP. *Radiocarbon*, 40(3): 1041-1083.

Stuiver, M., Reimer, P.J. and Braziunas, T.F., 1998b: High-precision radiocarbon age calibration for terrestrial and marine samples. *Radiocarbon*, 40: 1127-1151.

Turney, C.S.M., Roberts, R.G. and Jacobs, Z., 2006: Archaeology: Progress and pitfalls in radiocarbon dating. *Nature*, 443(7108): E3-E3.

van der Plicht, J. et al., 2004: NOTCAL04 - Comparison / Calibration ^{14}C records 26-50 ka cal BP. *Radiocarbon*, 46(3): 1225-1238.

Weyhenmeyer, C.E. et al., 2003: Changes in atmospheric ^{14}C between 55 and 42 ky BP recorded in a stalagmite from Socotra Island, Indian Ocean. *EOS Transactions*, 84 (46): Fall Meet. Suppl. Abstract PP32B-0298.